



Adapter Sleeves

Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm			
H 204	17 mm	20	M 20x1	24	32		KM 4 + MB 4	1204K
H 205	20 mm	25	M 25x1,5	26	38		KM 5 + MB 5	1205K, 20205K
H 206	25 mm	30	M 30x1,5	27	45		KM 6 + MB 6	1206K, 20206K
H 207	30 mm	35	M 35x1,5	29	52		KM 7 + MB 7	1207K, 20207K
H 208	35 mm	40	M 40x1,5	31	58		KM 8 + MB 8	1208K, 20208K
H 209	40 mm	45	M 45x1,5	33	65		KM 9 + MB 9	1209K, 20209K
H 210	45 mm	50	M 50x1,5	35	70		KM 10 + MB 10	1210K, 20210K
H 211	50 mm	55	M 55x1,5	37	75		KM 11x1.5 + MB 11	1211K, 20211K
H 212	55 mm	60	M 60x1,5	38	80		KM 12x1.5 + MB 12	1212K, 20212K
H 213	60 mm	65	M 65x1,5	40	85		KM 13x1.5 + MB 13	1213K, 20213K
H 214	60 mm	70	M 70x2	41	92		KM 14 + MB 14	1214K, 20214K
H 215	65 mm	75	M 75x2	43	98		KM 15 + MB 15	1215K, 20215K
H 216	70 mm	80	M 80x2	46	105		KM 16 + MB 16	1216K, 20216K
H 217	75 mm	85	M 85x2	50	110		KM 17 + MB 17	1217K, 20217K
H 218	80 mm	90	M 90x2	52	120		KM 18 + MB 18	1218K, 20218K
H 219	85 mm	95	M 95x2	55	125		KM 19 + MB 19	1219K, 20219K
H 220	90 mm	100	M 100x2	58	130		KM 20 + MB 20	1220K, 20220K
H 221	95 mm	105	M 105x2	60	140		KM 21 + MB 21	1221K, 20221K
H 222	100 mm	110	M 110x2	63	145		KM 22 + MB 22	1222K, 20222K
H 304	17 mm	20	M 20x1	28	32		KM 4 + MB 4	1304K, 2204K

H 305	20 mm	25	M 25x1,5	29	38		KM 5 + MB 5	1305K, 2205K, 20305K, 22205K
H 306	25 mm	30	M 30x1,5	31	45		KM 6 + MB 6	1306K, 2206K, 20306K, 22206K
H 307	30 mm	35	M 35x1,5	35	52		KM 7 + MB 7	1307K, 2207K, 20307K, 22207K
H 308	35 mm	40	M 40x1,5	36	58		KM 8 + MB 8	1308K, 2208K, 20308K, 21308K, 22208K, C 2208KV
H 309	40 mm	45	M 45x1,5	39	65		KM 9 + MB 9	1309K, 2209K, 20309K, 21309K, 22209K
Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
H 310	45 mm	50	M 50x1,5	42	70		KM 10 + MB 10	1310K, 2210K, 20310K, 21310K, 22210K
H 311	50 mm	55	M 55x1,5	45	75		KM 11x1.5 + MB 11	1311K, 2211K, 20311K, 21311K, 22211K
H 312	55 mm	60	M 60x1,5	47	80		KM 12x1.5 + MB 12	1312K, 2212K, 20312K, 21312K, 22212K, C 2212KV
H 313	60 mm	65	M 65x1,5	50	85		KM 13x1.5 + MB 13	1313K, 2213K, 20313K, 21313K, 22213K, C 2213KV
H 314	60 mm	70	M 70x2	52	92		KM 14 + MB 14	1314K, 2214K, 20314K, 21314K, 22214K, C 2214KV
H 315	65 mm	75	M 75x2	55	98		KM 15 + MB 15	1315K, 2215K, 20315K, 21315K, 22215K, C 2215KV
H 316	70 mm	80	M 80x2	59	105		KM 16 + MB 16	1316K, 2216K, 20316K, 21316K, 22216K, C 2216KV
H 317	75 mm	85	M 85x2	63	110		KM 17 + MB 17	1317K, 2217K, 20317K, 21317K, 22217K, C 2217KV
H 318	80 mm	90	M 90x2	65	120		KM 18 + MB 18	1318K, 2218K, 20318K, 21318K, 22218K
H 319	85 mm	95	M 95x2	68	125		KM 19 + MB 19	1319K, 2219K, 20319K, 21319K, 22219K
H 320	90 mm	100	M 100x2	71	130		KM 20 + MB 20	1320K, 2220K, 20320K, 21320K, 22220K
H 321	95 mm	105	M 105x2	74	140		KM 21 + MB 21	2221K, 20321K, 21321K
H 322	100 mm	110	M 110x2	77	145		KM 22 + MB 22	1322K, 2222K, 20322K, 21322K, 22222K, 23022K
H 2304	17 mm	20	M 20x1	31	32		KM 4 + MB 4	2304K
H 2305	20 mm	25	M 25x1,5	35	38		KM 5 + MB 5	2305K, UK 205, UK 305, YSA 205-2FK
H 2306	25 mm	30	M 30x1,5	38	45		KM 6 + MB 6	2306K, UK 206, UK 306, YSA 206-2FK
H 2307	30 mm	35	M 35x1,5	43	52		KM 7 + MB 7	2307K, UK 207, UK 307, YSA 207-2FK
H 2308	35 mm	40	M 40x1,5	46	58		KM 8 + MB 8	2308K, 22308K, UK 208, UK 308, YSA 208-2FK
Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
H 2309	40 mm	45	M 45x1,5	50	65		KM 9 + MB 9	2309K, 22309K, UK 209, UK 309, YSA 209-2FK
H 2310	45 mm	50	M 50x1,5	55	70		KM 10 + MB 10	2310K, 22310K, UK 210, UK 310, YSA 210-2FK
H 2311	50 mm	55	M 55x1,5	59	75		KM 11x1.5 + MB 11	2311K, 22311K, UK 211, UK 311, YSA 211-2FK
H 2312	55 mm	60	M 60x1,5	62	80		KM 12x1.5 + MB 12	2312K, 22312K, UK 212, UK 312, YSA 212-2FK
H 2313	60 mm	65	M 65x1,5	65	85		KM 13x1.5 + MB 13	2313K, 22313K, UK 213, UK 313, YSA 213-2FK
H 2314	60 mm	70	M 70x2	68	92		KM 14 + MB 14	2314K, 22314K, C 2314K

H 2315	65 mm	75	M 75x2	73	98		KM 15 + MB 15	2315K, 22315K, C 2315K, UK 215, UK 315
H 2316	70 mm	80	M 80x2	78	105		KM 16 + MB 16	2316K, 22316K, C 2316K, UK 216, UK 316
H 2317	75 mm	85	M 85x2	82	110		KM 17 + MB 17	2317K, 22317K, C 2317K, UK 217, UK 317
H 2318	80 mm	90	M 90x2	86	120		KM 18 + MB 18	2318K, 22318K, 23218K, C 2318K, UK 218, UK 318
H 2319	85 mm	95	M 95x2	90	125		KM 19 + MB 19	2319K, 22319K, C 2319K, UK 319
H 2320	90 mm	100	M 100x2	97	130		KM 20 + MB 20	2320K, 22320K, 23220K, C 2320K, UK 320
H 2321	95 mm	105	M 105x2	101	140		KM 21 + MB 21	23221K
H 2322	100 mm	110	M 110x2	105	145		KM 22 + MB 22	22322K, 23222K, UK 322
H 2324	110 mm	120	M 120x2	112	155		KM 24 + MB 24	22324K, 23224K, UK 324
H 2326	115 mm	130	M 130x2	121	165		KM 26 + MB 26	22326K, 23226K, C 2326K, UK 326
H 2328	125 mm	140	M 140x2	131	180		KM 28 + MB 28	22328K, 23228K, UK 328
H 2330	135 mm	150	M 150x2	139	195		KM 30 + MB 30	22330K, 23230K
H 2332	140 mm	160	M 160x3	147	210		KM 32 + MB 32	22332K, 23232K
H 2334	150 mm	170	M 170x3	154	220		KM 34 + MB 34	22334K, 23234K
H 2336	160 mm	180	M 180x3	161	230		KM 36 + MB 36	22336K, 23236K, C 3236K
H 2338	170 mm	190	M 190x3	169	240		KM 38 + MB 38	22338K, 23238K
H 2340	180 mm	200	M 200x3	176	250		KM 40 + MB 40	22340K, 23240K
H 2344	200 mm	220	Tr 220x4	186	280		HM 3144 + MS 3144-MS 3148	22344K, 23244K
H 2348	220 mm	240	Tr 240x4	199	300		HM 3148 + MS 3144-MS 3148	22348K, 23248K

Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		

H 2352	240 mm	260	Tr 260x4	211	330		HM 3152 + MS 3152-MS 3156	22352K, 23252K
H 2356	260 mm	280	Tr 280x4	224	350		HM 3156 + MS 3152-MS 3156	22356K, 23256K
H 3024	110 mm	120	M 120x2	72	145		KML 24 + MBL 24	1224K, 20224K, 23024K, C 3024KV
H 3026	115 mm	130	M 130x2	80	155		KML 26 + MBL 26	20226K, 23026K, C 3026K
H 3028	125 mm	140	M 140x2	82	165		KML 28 + MBL 28	20228K, 23028K, C 3028K
H 3030	135 mm	150	M 150x2	87	180		KML 30 + MBL 30	20230K, 23030K, C 3030KV
H 3032	140 mm	160	M 160x3	93	190		KML 32 + MBL 32	20232K, 23032K, C 3032K
H 3034	150 mm	170	M 170x3	101	200		KML 34 + MBL 34	20234K, 23034K, C 3034K
H 3036	160 mm	180	M 180x3	109	210		KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
H 3038	170 mm	190	M 190x3	112	220		KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
H 3040	180 mm	200	M 200x3	120	240		KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
H 3044	200 mm	220	Tr 220x4	126	260		HM 3044 + MS 3044	20244K, 20344K, 23044K, C 3044K

H 3048	220 mm	240	Tr 240x4	133	290		HM 3048 + MS 3048-MS 3052	20248K, 20348K, 23048K, C 3048K
H 3052	240 mm	260	Tr 260x4	145	310		HM 3052 + MS 3048-MS 3052	20252K, 23052K, C 3052K
H 3056	260 mm	280	Tr 280x4	152	330		HM 3056 + MS 3056	20256K, 23056K, C 3056K
H 3060	280 mm	300	Tr 300x4	168	360		HM 3060 + MS 3060	23060K, C 3060K
H 3064	300 mm	320	Tr 320x5	171	380		HM 3064 + MS 3064-MS 3068	23064K, C 3064K
H 3068	320 mm	340	Tr 340x5	187	400		HM 3068 + MS 3064-MS 3068	23068K, C 3068K
H 3072	340 mm	360	Tr 360x5	188	420		HM 3072 + MS 3072	23072K, C 3072K
H 3076	360 mm	380	Tr 380x5	193	450		HM 3076 + MS 3076-MS 3080	23076K, C 3076K
H 3080	380 mm	400	Tr 400x5	210	470		HM 3080 + MS 3076-MS 3080	23080K, C 3080K
H 3084	400 mm	420	Tr 420x5	212	490		HM 3084 + MS 3084	23084K, C 3084K
H 3088	410 mm	440	Tr 440x5	228	520		HM 3088 + MS 3088-MS 3092	23088K
H 3092	430 mm	460	Tr 460x5	234	540		HM 3092 + MS 3088-MS 3092	23092K, C 3092K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		
H 3096	450 mm	480	Tr 480x5	237	560		HM 3096 + MS 3096-30/500	23096K, C 3096K
H 30/500	470 mm	500	Tr 500x5	247	580		HM 30/500 + MS 3096-30/500	230/500K, C 30/500K
H 30/530	500 mm	530	Tr 530x6	265	630		HM 30/530 + MS 30/530-600	230/530K, C 30/530K
H 30/560	530 mm	560	Tr 560x6	282	650		HM 30/560 + MS 30/560	230/560K, C 30/560K
H 30/600	560 mm	600	Tr 600x6	289	700		HM 30/600 + MS 30/530-600	230/600K, C 30/600K
H 30/630	600 mm	630	Tr 630x6	301	730		HM 30/630 + MS 30/630	230/630K, C 30/630K
H 30/670	630 mm	670	Tr 670x6	324	780		HM 30/670 + MS 30/670	230/670K, C 30/670K
H 30/710	670 mm	710	Tr 710x7	342	830		HM 30/710 + MS 30/710	230/710K, C 30/710K
H 30/750	710 mm	750	Tr 750x7	356	870		HM 30/750 + MS 30/750-800	230/750K
H 30/800	750 mm	800	Tr 800x7	366	920		HM 30/800 + MS 30/750-800	230/800K
H 30/850	800 mm	850	Tr 850x7	380	980		HM 30/850 + MS 30/850-900	230/850K
H 30/900	850 mm	900	Tr 900x7	400	1030		HM 30/900 + MS 30/850-900	230/900K, C 30/900K
H 30/950	900 mm	950	Tr 950x8	420	1080		HM 30/950 + MS 30/950	230/950K
H 30/1000	950 mm	1000	Tr 1000x8	430	1140		HM 30/1000 + MS 30/1000	230/1000K
H 30/1060	1000 mm	1060	Tr 1060x8	447	1200		HM 30/1060 + MS 30/1000	230/1060K
H 3120	90 mm	100	M 100x2	76	130		KM 20 + MB 20	23120K, C 3120KV
H 3122	100 mm	110	M 110x2	81	145		KM 22 + MB 22	23122K
H 3124	110 mm	120	M 120x2	88	155		KM 24 + MB 24	20324K, 22224K, 23124K
H 3126	115 mm	130	M 130x2	92	165		KM 26 + MB 26	20326K, 22226K, 23126K

H 3128	125 mm	140	M 140x2	97	180		KM 28 + MB 28	20328K, 22228K, 23128K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		
H 3130	135 mm	150	M 150x2	111	195		KM 30 + MB 30	20330K, 22230K, 23130K
H 3132	140 mm	160	M 160x3	119	210		KM 32 + MB 32	20332K, 22232K, 23132K
H 3134	150 mm	170	M 170x3	122	220		KM 34 + MB 34	20334K, 22234K, 23134K
H 3136	160 mm	180	M 180x3	131	230		KM 36 + MB 36	22236K, 23136K
H 3138	170 mm	190	M 190x3	141	240		KM 38 + MB 38	22238K, 23138K, C 2238K
H 3140	180 mm	200	M 200x3	150	250		KM 40 + MB 40	22240K, 23140K, C 3140K
H 3144	200 mm	220	Tr 220x4	161	280		HM 3144 + MS 3144-MS 3148	22244K, 23144K, C 2244K
H 3148	220 mm	240	Tr 240x4	172	300		HM 3148 + MS 3144-MS 3148	22248K, 23148K
H 3152	240 mm	260	Tr 260x4	190	330		HM 3152 + MS 3152-MS 3156	22252K, 23152K
H 3156	260 mm	280	Tr 280x4	195	350		HM 3156 + MS 3152-MS 3156	22256K, 23156K
H 3160	280 mm	300	Tr 300x4	208	380		HM 3160 + MS 3160	22260K, 23160K, C 3160K
H 3164	300 mm	320	Tr 320x5	226	400		HM 3164 + MS 3164	22264K, 23164K, C 3164K
H 3168	320 mm	340	Tr 340x5	254	440		HM 3168 + MS 3168-MS 3172	23168K, C 3168K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		
H 3172	340 mm	360	Tr 360x5	259	460		HM 3172 + MS 3168-MS 3172	23172K, C 3172K
H 3176	360 mm	380	Tr 380x5	264	490		HM 3176 + MS 3176	23176K
H 3180	380 mm	400	Tr 400x5	272	520		HM 3180 + MS 3180-MS 3184	23180K, C 3180K
H 3184	400 mm	420	Tr 420x5	304	540		HM 3184 + MS 3180-MS 3184	23184K, C 3184K
H 3188	410 mm	440	Tr 440x5	307	560		HM 3188 + MS 3188-MS 3192	23188K
H 3192	430 mm	460	Tr 460x5	326	580		HM 3192 + MS 3188-MS 3192	23192K, C 3192K
H 3196	450 mm	480	Tr 480x5	335	620		HM 3196 + MS 3196	23196K
H 31/500	470 mm	500	Tr 500x5	356	630		HM 31/500 + MS 31/500	231/500K, C 31/500K
H 31/530	500 mm	530	Tr 530x6	364	670		HM 31/530 + MS 31/530	222/530K, 231/530K, C 31/530K
H 31/560	530 mm	560	Tr 560x6	377	710		HM 31/560 + MS 31/560-600	222/560K, 231/560K
H 31/600	560 mm	600	Tr 600x6	399	750		HM 31/600 + MS 31/560-600	222/600K, 231/600K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		
H 31/630	600 mm	630	Tr 630x6	424	800		HM 31/630 + MS 31/630	222/630K, 231/630K
H 31/670	630 mm	670	Tr 670x6	456	850		HM 31/670 + MS 31/670	222/670K, 231/670K

H 31/710	670 mm	710	Tr 710x7	467	900		HM 31/710 + MS 31/710	222/710K, 231/710K
H 31/750	710 mm	750	Tr 750x7	493	950		HM 31/750 + MS 31/750-800	222/750K, 231/750K
H 31/800	750 mm	800	Tr 800x7	505	1000		HM 31/800 + MS 31/750-800	222/800K, 231/800K
H 31/850	800 mm	850	Tr 850x7	536	1060		HM 31/850 + MS 31/850	222/850K, 231/850K
H 31/900	850 mm	900	Tr 900x7	557	1120		HM 31/900 + MS 31/900	222/900K, 231/900K
H 31/950	900 mm	950	Tr 950x8	583	1170		HM 31/950 + MS 31/950	222/950K, 231/950K
H 31/1000	950 mm	1000	Tr 1000x8	609	1240		HM 31/1000 + MS 31/1000	222/1000K, 231/1000K
H 31/1060	1000 mm	1060	Tr 1060x8	622	1300		HM 31/1060 + MS 31/1000	222/1060K, 231/1060K
H 3260	280 mm	300	Tr 300x4	240	380		HM 3160 + MS 3160	22360K, 23260K
H 3264	300 mm	320	Tr 320x5	258	400		HM 3164 + MS 3164	22364K, 23264K
H 3268	320 mm	340	Tr 340x5	288	440		HM 3168 + MS 3168-MS 3172	22368K, 23268K
Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		
H 3272	340 mm	360	Tr 360x5	299	460		HM 3172 + MS 3168-MS 3172	22372K, 23272K
H 3276	360 mm	380	Tr 380x5	310	490		HM 3176 + MS 3176	22376K, 23276K
H 3280	380 mm	400	Tr 400x5	328	520		HM 3180 + MS 3180-MS 3184	22380K, 23280K
H 3284	400 mm	420	Tr 420x5	352	540		HM 3184 + MS 3180-MS 3184	22384K, 23284K
H 3288	410 mm	440	Tr 440x5	361	560		HM 3188 + MS 3188-MS 3192	22388K, 23288K
H 3292	430 mm	460	Tr 460x5	382	580		HM 3192 + MS 3188-MS 3192	22392K, 23292K
H 3296	450 mm	480	Tr 480x5	397	620		HM 3196 + MS 3196	22396K, 23296K
H 32/500	470 mm	500	Tr 500x5	428	630		HM 31/500 + MS 31/500	223/500K, 232/500K
H 32/530	500 mm	530	Tr 530x6	447	670		HM 31/530 + MS 31/530	223/530K, 232/530K
H 32/560	530 mm	560	Tr 560x6	462	710		HM 31/560 + MS 31/560-600	223/560K, 232/560K
H 32/600	560 mm	600	Tr 600x6	487	750		HM 31/600 + MS 31/560-600	223/600K, 232/600K
H 32/630	600 mm	630	Tr 630x6	521	800		HM 31/630 + MS 31/630	223/630K, 232/630K
H 32/670	630 mm	670	Tr 670x6	558	850		HM 31/670 + MS 31/670	223/670K, 232/670K
H 32/710	670 mm	710	Tr 710x7	572	900		HM 31/710 + MS 31/710	223/710K, 232/710K
H 32/750	710 mm	750	Tr 750x7	603	950		HM 31/750 + MS 31/750-800	223/750K, 232/750K
H 32/800	750 mm	800	Tr 800x7	618	1000		HM 31/800 + MS 31/750-800	232/800K
H 32/850	800 mm	850	Tr 850x7	651	1060		HM 31/850 + MS 31/850	232/850K
H 32/900	850 mm	900	Tr 900x7	660	1120		HM 31/900 + MS 31/900	232/900K
H 32/950	900 mm	950	Tr 950x8	675	1170		HM 31/950 + MS 31/950	232/950K
H 32/1000	950 mm	1000	Tr 1000x8	707	1240		HM 31/1000 + MS 31/1000	232/1000K

H 3924	110 mm	120	M 120x2	60	145		KML 24 + MBL 24	23924K
H 3926	115 mm	130	M 130x2	65	155		KML 26 + MBL 26	23926K
H 3928	125 mm	140	M 140x2	66	165		KML 28 + MBL 28	23928K
H 3930	135 mm	150	M 150x2	76	180		KML 30 + MBL 30	23930K
H 3932	140 mm	160	M 160x3	78	190		KML 32 + MBL 32	23932K
H 3934	150 mm	170	M 170x3	79	200		KML 34 + MBL 34	23934K
H 3936	160 mm	180	M 180x3	87	210		KML 36 + MBL 36	23936K
H 3938	170 mm	190	M 190x3	89	220		KML 38 + MBL 38	23938K
H 3940	180 mm	200	M 200x3	98	240		KML 40 + MBL 40	23940K
H 3944	200 mm	220	Tr 220x4	96	260		HM 3044 + MS 3044	23944K

Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		

H 3948	220 mm	240	Tr 240x4	101	290		HM 3048 + MS 3048-MS 3052	23948K
H 3952	240 mm	260	Tr 260x4	116	310		HM 3052 + MS 3048-MS 3052	23952K
H 3956	260 mm	280	Tr 280x4	121	330		HM 3056 + MS 3056	23956K
H 3960	280 mm	300	Tr 300x4	140	360		HM 3060 + MS 3060	23960K
H 3964	300 mm	320	Tr 320x5	140	380		HM 3064 + MS 3064-MS 3068	23964K
H 3968	320 mm	340	Tr 340x5	144	400		HM 3068 + MS 3064-MS 3068	23968K
H 3972	340 mm	360	Tr 360x5	144	420		HM 3072 + MS 3072	23972K
H 3976	360 mm	380	Tr 380x5	164	450		HM 3076 + MS 3076-MS 3080	23976K, C 3976K
H 3980	380 mm	400	Tr 400x5	168	470		HM 3080 + MS 3076-MS 3080	23980K
H 3984	400 mm	420	Tr 420x5	168	490		HM 3084 + MS 3084	23984K
H 3988	410 mm	440	Tr 440x5	189	520		HM 3088 + MS 3088-MS 3092	23988K
H 3992	430 mm	460	Tr 460x5	189	540		HM 3092 + MS 3088-MS 3092	23992K
H 3996	450 mm	480	Tr 480x5	200	560		HM 3096 + MS 3096-30/500	23996K, C 3996K
H 39/500	470 mm	500	Tr 500x5	208	580		HM 30/500 + MS 3096-30/500	239/500K
H 39/530	500 mm	530	Tr 530x6	216	630		HM 30/530 + MS 30/530-600	239/530K
H 39/560	530 mm	560	Tr 560x6	227	650		HM 30/560 + MS 30/560	239/560K
H 39/600	560 mm	600	Tr 600x6	239	700		HM 30/600 + MS 30/530-600	239/600K
H 39/630	600 mm	630	Tr 630x6	254	730		HM 30/630 + MS 30/630	239/630K

Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		

H 39/670	630 mm	670	Tr 670x6	264	780		HM 30/670 + MS 30/670	239/670K, C 39/670K
----------	--------	-----	----------	-----	-----	--	-----------------------	---------------------

H 39/710	670 mm	710	Tr 710x7	286	830		HM 30/710 + MS 30/710	239/710K
H 39/750	710 mm	750	Tr 750x7	291	870		HM 30/750 + MS 30/750-800	239/750K
H 39/800	750 mm	800	Tr 800x7	303	920		HM 30/800 + MS 30/750-800	239/800K
H 39/850	800 mm	850	Tr 850x7	308	980		HM 30/850 + MS 30/850-900	239/850K
H 39/900	850 mm	900	Tr 900x7	326	1030		HM 30/900 + MS 30/850-900	239/900K
H 39/950	900 mm	950	Tr 950x8	344	1080		HM 30/950 + MS 30/950	239/950K
H 39/1000	950 mm	1000	Tr 1000x8	358	1140		HM 30/1000 + MS 30/1000	239/1000K
H 39/1060	1000 mm	1060	Tr 1060x8	372	1200		HM 30/1060 + MS 30/1000	239/1060K
H 39/1120	1060 mm	1120	Tr 1120x8	372	1260		HM 30/1120 + MS 30/1000	239/1120K
HA 204	11/16"	20	M 20x1	24	32		KM 4 + MB 4	1204K
HA 206	15/16"	30	M 30x1,5	27	45		KM 6 + MB 6	1206K, 20206K
HA 207	1.3/16"	35	M 35x1,5	29	52		KM 7 + MB 7	1207K, 20207K
HA 208	1.5/16"	40	M 40x1,5	31	58		KM 8 + MB 8	1208K, 20208K
HA 209	1.7/16"	45	M 45x1,5	33	65		KM 9 + MB 9	1209K, 20209K
HA 210	1.11/16"	50	M 50x1,5	35	70		KM 10 + MB 10	1210K, 20210K
HA 211	1.15/16"	55	M 55x1,5	37	75		KM 11x1.5 + MB 11	1211K, 20211K
HA 212	2.3/16"	60	M 60x1,5	38	80		KM 12x1.5 + MB 12	1212K, 20212K
HA 213	2.3/16"	65	M 65x1,5	40	85		KM 13x1.5 + MB 13	1213K, 20213K
HA 215	2.7/16"	75	M 75x2	43	98		KM 15 + MB 15	1215K, 20215K
HA 216	2.11/16"	80	M 80x2	46	105		KM 16 + MB 16	1216K, 20216K
HA 217	2.15/16"	85	M 85x2	50	110		KM 17 + MB 17	1217K, 20217K
Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		
HA 218	3.3/16"	90	M 90x2	52	120		KM 18 + MB 18	1218K, 20218K
HA 219	3.5/16"	95	M 95x2	55	125		KM 19 + MB 19	1219K, 20219K
HA 220	3.7/16"	100	M 100x2	58	130		KM 20 + MB 20	1220K, 20220K
HA 221	3.11/16"	105	M 105x2	60	140		KM 21 + MB 21	1221K, 20221K
HA 222	3.15/16"	110	M 110x2	63	145		KM 22 + MB 22	1222K, 20222K
HA 304	11/16"	20	M 20x1	28	32		KM 4 + MB 4	1304K, 2204K
HA 306	15/16"	30	M 30x1,5	31	45		KM 6 + MB 6	1306K, 2206K, 20306K, 22206K
HA 307	1.3/16"	35	M 35x1,5	35	52		KM 7 + MB 7	1307K, 2207K, 20307K, 22207K
HA 308	1.5/16"	40	M 40x1,5	36	58		KM 8 + MB 8	1308K, 2208K, 20308K, 21308K, 22208K, C 2208KV
HA 309	1.7/16"	45	M 45x1,5	39	65		KM 9 + MB 9	1309K, 2209K, 20309K, 21309K, 22209K

HA 310	1.11/16"	50	M 50x1,5	42	70	KM 10 + MB 10	1310K, 2210K, 20310K, 21310K, 22210K	
HA 311	1.15/16"	55	M 55x1,5	45	75	KM 11x1.5 + MB 11	1311K, 2211K, 20311K, 21311K, 22211K	
HA 312	2.3/16"	60	M 60x1,5	47	80	KM 12x1.5 + MB 12	1312K, 2212K, 20312K, 21312K, 22212K, C 2212KV	
HA 313	2.3/16"	65	M 65x1,5	50	85	KM 13x1.5 + MB 13	1313K, 2213K, 20313K, 21313K, 22213K, C 2213KV	
HA 315	2.7/16"	75	M 75x2	55	98	KM 15 + MB 15	1315K, 2215K, 20315K, 21315K, 22215K, C 2215KV	
HA 316	2.11/16"	80	M 80x2	59	105	KM 16 + MB 16	1316K, 2216K, 20316K, 21316K, 22216K, C 2216KV	
HA 317	2.15/16"	85	M 85x2	63	110	KM 17 + MB 17	1317K, 2217K, 20317K, 21317K, 22217K, C 2217KV	
HA 318	3.3/16"	90	M 90x2	65	120	KM 18 + MB 18	1318K, 2218K, 20318K, 21318K, 22218K	
HA 319	3.5/16"	95	M 95x2	68	125	KM 19 + MB 19	1319K, 2219K, 20319K, 21319K, 22219K	
HA 320	3.7/16"	100	M 100x2	71	130	KM 20 + MB 20	1320K, 2220K, 20320K, 21320K, 22220K	
Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HA 321	3.11/16"	105	M 105x2	74	140	KM 21 + MB 21	2221K, 20321K, 21321K	
HA 322	3.15/16"	110	M 110x2	77	145	KM 22 + MB 22	1322K, 2222K, 20322K, 21322K, 22222K, 23022K	
HA 2304	11/16"	20	M 20x1	31	32	KM 4 + MB 4	2304K	
HA 2306	15/16"	30	M 30x1,5	38	45	KM 6 + MB 6	2306K, UK 206, UK 306, YSA 206-2FK	
HA 2307	1.3/16"	35	M 35x1,5	43	52	KM 7 + MB 7	2307K, UK 207, UK 307, YSA 207-2FK	
HA 2308	1.5/16"	40	M 40x1,5	46	58	KM 8 + MB 8	2308K, 22308K, UK 208, UK 308, YSA 208-2FK	
HA 2309	1.7/16"	45	M 45x1,5	50	65	KM 9 + MB 9	2309K, 22309K, UK 209, UK 309, YSA 209-2FK	
HA 2310	1.11/16"	50	M 50x1,5	55	70	KM 10 + MB 10	2310K, 22310K, UK 210, UK 310, YSA 210-2FK	
HA 2311	1.15/16"	55	M 55x1,5	59	75	KM 11x1.5 + MB 11	2311K, 22311K, UK 211, UK 311, YSA 211-2FK	
HA 2312	2.3/16"	60	M 60x1,5	62	80	KM 12x1.5 + MB 12	2312K, 22312K, UK 212, UK 312, YSA 212-2FK	
HA 2313	2.3/16"	65	M 65x1,5	65	85	KM 13x1.5 + MB 13	2313K, 22313K, UK 213, UK 313, YSA 213-2FK	
HA 2315	2.7/16"	75	M 75x2	73	98	KM 15 + MB 15	2315K, 22315K, C 2315K, UK 215, UK 315	
HA 2316	2.11/16"	80	M 80x2	78	105	KM 16 + MB 16	2316K, 22316K, C 2316K, UK 216, UK 316	
HA 2317	2.15/16"	85	M 85x2	82	110	KM 17 + MB 17	2317K, 22317K, C 2317K, UK 217, UK 317	
HA 2318	3.3/16"	90	M 90x2	86	120	KM 18 + MB 18	2318K, 22318K, 23218K, C 2318K, UK 218, UK 318	
HA 2319	3.5/16"	95	M 95x2	90	125	KM 19 + MB 19	2319K, 22319K, C 2319K, UK 319	
HA 2320	3.7/16"	100	M 100x2	97	130	KM 20 + MB 20	2320K, 22320K, 23220K, C 2320K, UK 320	
HA 2321	3.11/16"	105	M 105x2	101	140	KM 21 + MB 21	23221K	
HA 2322	3.15/16"	110	M 110x2	105	145	KM 22 + MB 22	22322K, 23222K, UK 322	
HA 2324	4.3/16"	120	M 120x2	112	155	KM 24 + MB 24	22324K, 23224K, UK 324	
HA 2326	4.7/16"	130	M 130x2	121	165	KM 26 + MB 26	22326K, 23226K, C 2326K, UK 326	

HA 2328	4.15/16"	140	M 140x2	131	180		KM 28 + MB 28	22328K, 23228K, UK 328
HA 2330	5.3/16"	150	M 150x2	139	195		KM 30 + MB 30	22330K, 23230K
HA 2332	5.7/16"	160	M 160x3	147	210		KM 32 + MB 32	22332K, 23232K
HA 2334	5.15/16"	170	M 170x3	154	220		KM 34 + MB 34	22334K, 23234K
HA 2336	6.7/16"	180	M 180x3	161	230		KM 36 + MB 36	22336K, 23236K, C 3236K
HA 2338	6.15/16"	190	M 190x3	169	240		KM 38 + MB 38	22338K, 23238K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HA 2340	7.3/16"	200	M 200x3	176	250		KM 40 + MB 40	22340K, 23240K
HA 2344	7.15/16"	220	Tr 220x4	186	280		HM 3144 + MS 3144-MS 3148	22344K, 23244K
HA 2348	8.7/16"	240	Tr 240x4	199	300		HM 3148 + MS 3144-MS 3148	22348K, 23248K
HA 2352	9.7/16"	260	Tr 260x4	211	330		HM 3152 + MS 3152-MS 3156	22352K, 23252K
HA 2356	10.7/16"	280	Tr 280x4	224	350		HM 3156 + MS 3152-MS 3156	22356K, 23256K
HA 3024	4.3/16"	120	M 120x2	72	145		KML 24 + MBL 24	1224K, 20224K, 23024K, C 3024KV
HA 3026	4.7/16"	130	M 130x2	80	155		KML 26 + MBL 26	20226K, 23026K, C 3026K
HA 3028	4.15/16"	140	M 140x2	82	165		KML 28 + MBL 28	20228K, 23028K, C 3028K
HA 3030	5.3/16"	150	M 150x2	87	180		KML 30 + MBL 30	20230K, 23030K, C 3030KV
HA 3032	5.7/16"	160	M 160x3	93	190		KML 32 + MBL 32	20232K, 23032K, C 3032K
HA 3034	5.15/16"	170	M 170x3	101	200		KML 34 + MBL 34	20234K, 23034K, C 3034K
HA 3036	6.7/16"	180	M 180x3	109	210		KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
HA 3038	6.15/16"	190	M 190x3	112	220		KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
HA 3040	7.3/16"	200	M 200x3	120	240		KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
HA 3044	7.15/16"	220	Tr 220x4	126	260		HM 3044 + MS 3044	20244K, 20344K, 23044K, C 3044K
HA 3048	8.7/16"	240	Tr 240x4	133	290		HM 3048 + MS 3048-MS 3052	20248K, 20348K, 23048K, C 3048K
HA 3052	9.7/16"	260	Tr 260x4	145	310		HM 3052 + MS 3048-MS 3052	20252K, 23052K, C 3052K
HA 3056	10.7/16"	280	Tr 280x4	152	330		HM 3056 + MS 3056	20256K, 23056K, C 3056K
HA 3060	10.15/16"	300	Tr 300x4	168	360		HM 3060 + MS 3060	23060K, C 3060K
HA 3068	12.7/16"	340	Tr 340x5	187	400		HM 3068 + MS 3064-MS 3068	23068K, C 3068K
HA 3072	13.7/16"	360	Tr 360x5	188	420		HM 3072 + MS 3072	23072K, C 3072K
HA 3076	13.15/16"	380	Tr 380x5	193	450		HM 3076 + MS 3076-MS 3080	23076K, C 3076K
HA 3120	3.7/16"	100	M 100x2	76	130		KM 20 + MB 20	23120K, C 3120KV
HA 3122	3.15/16"	110	M 110x2	81	145		KM 22 + MB 22	23122K
HA 3124	4.3/16"	120	M 120x2	88	155		KM 24 + MB 24	20324K, 22224K, 23124K

HA 3126	4.7/16"	130	M 130x2	92	165		KM 26 + MB 26	20326K, 22226K, 23126K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HA 3128	4.15/16"	140	M 140x2	97	180		KM 28 + MB 28	20328K, 22228K, 23128K
HA 3130	5.3/16"	150	M 150x2	111	195		KM 30 + MB 30	20330K, 22230K, 23130K
HA 3132	5.7/16"	160	M 160x3	119	210		KM 32 + MB 32	20332K, 22232K, 23132K
HA 3134	5.15/16"	170	M 170x3	122	220		KM 34 + MB 34	20334K, 22234K, 23134K
HA 3136	6.7/16"	180	M 180x3	131	230		KM 36 + MB 36	22236K, 23136K
HA 3138	6.15/16"	190	M 190x3	141	240		KM 38 + MB 38	22238K, 23138K, C 2238K
HA 3140	7.3/16"	200	M 200x3	150	250		KM 40 + MB 40	22240K, 23140K, C 3140K
HA 3144	7.15/16"	220	Tr 220x4	161	280		HM 3144 + MS 3144-MS 3148	22244K, 23144K, C 2244K
HA 3148	8.7/16"	240	Tr 240x4	172	300		HM 3148 + MS 3144-MS 3148	22248K, 23148K
HA 3152	9.7/16"	260	Tr 260x4	190	330		HM 3152 + MS 3152-MS 3156	22252K, 23152K
HA 3156	10.7/16"	280	Tr 280x4	195	350		HM 3156 + MS 3152-MS 3156	22256K, 23156K
HA 3160	10.15/16"	300	Tr 300x4	208	380		HM 3160 + MS 3160	22260K, 23160K, C 3160K
HA 3164	11.15/16"	320	Tr 320x5	226	400		HM 3164 + MS 3164	22264K, 23164K, C 3164K
HA 3168	12.7/16"	340	Tr 340x5	254	440		HM 3168 + MS 3168-MS 3172	23168K, C 3168K
HA 3172	13.7/16"	360	Tr 360x5	259	460		HM 3172 + MS 3168-MS 3172	23172K, C 3172K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HA 3176	13.15/16"	380	Tr 380x5	264	490		HM 3176 + MS 3176	23176K
HA 3260	10.15/16"	300	Tr 300x4	240	380		HM 3160 + MS 3160	22360K, 23260K
HA 3268	12.7/16"	340	Tr 340x5	288	440		HM 3168 + MS 3168-MS 3172	22368K, 23268K
HA 3272	13.7/16"	360	Tr 360x5	299	460		HM 3172 + MS 3168-MS 3172	22372K, 23272K
HA 3276	13.15/16"	380	Tr 380x5	310	490		HM 3176 + MS 3176	22376K, 23276K
HE/HS 204	5/8"	20	M 20x1	24	32		KM 4 + MB 4	1204K
HE 205	3/4"	25	M 25x1,5	26	38		KM 5 + MB 5	1205K, 20205K
HE 206	1"	30	M 30x1,5	27	45		KM 6 + MB 6	1206K, 20206K
HE/HS 207	1.1/8"	35	M 35x1,5	29	52		KM 7 + MB 7	1207K, 20207K
HE 208	1.1/4"	40	M 40x1,5	31	58		KM 8 + MB 8	1208K, 20208K
HE 209	1.1/2"	45	M 45x1,5	33	65		KM 9 + MB 9	1209K, 20209K
HE 210	1.3/4"	50	M 50x1,5	35	70		KM 10 + MB 10	1210K, 20210K
HE 211	2"	55	M 55x1,5	37	75		KM 11x1.5 + MB 11	1211K, 20211K

HE/HS 212	2.1/8"	60	M 60x1,5	38	80	KM 12x1.5 + MB 12	1212K, 20212K
HE 213	2.1/4"	65	M 65x1,5	40	85	KM 13x1.5 + MB 13	1213K, 20213K
HE 214	2.1/4"	70	M 70x2	41	92	KM 14 + MB 14	1214K, 20214K
HE 215	2.1/2"	75	M 75x2	43	98	KM 15 + MB 15	1215K, 20215K
HE 216	2.3/4"	80	M 80x2	46	105	KM 16 + MB 16	1216K, 20216K
HE 217	3"	85	M 85x2	50	110	KM 17 + MB 17	1217K, 20217K
HE 218	3.1/4"	90	M 90x2	52	120	KM 18 + MB 18	1218K, 20218K
HE 219	3.1/4"	95	M 95x2	55	125	KM 19 + MB 19	1219K, 20219K
HE 220	3.1/2"	100	M 100x2	58	130	KM 20 + MB 20	1220K, 20220K
HE 221	3.3/4"	105	M 105x2	60	140	KM 21 + MB 21	1221K, 20221K
HE 222	4"	110	M 110x2	63	145	KM 22 + MB 22	1222K, 20222K
HE/HS 304	5/8"	20	M 20x1	28	32	KM 4 + MB 4	1304K, 2204K
HE 305	3/4"	25	M 25x1,5	29	38	KM 5 + MB 5	1305K, 2205K, 20305K, 22205K
HE 306	1"	30	M 30x1,5	31	45	KM 6 + MB 6	1306K, 2206K, 20306K, 22206K

Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		

HE/HS 307	1.1/8"	35	M 35x1,5	35	52		KM 7 + MB 7	1307K, 2207K, 20307K, 22207K
HE 308	1.1/4"	40	M 40x1,5	36	58		KM 8 + MB 8	1308K, 2208K, 20308K, 21308K, 22208K, C 2208KV
HE 309	1.1/2"	45	M 45x1,5	39	65		KM 9 + MB 9	1309K, 2209K, 20309K, 21309K, 22209K
HE 310	1.3/4"	50	M 50x1,5	42	70		KM 10 + MB 10	1310K, 2210K, 20310K, 21310K, 22210K
HE 311	2"	55	M 55x1,5	45	75		KM 11x1.5 + MB 11	1311K, 2211K, 20311K, 21311K, 22211K
HE/HS 312	2.1/8"	60	M 60x1,5	47	80		KM 12x1.5 + MB 12	1312K, 2212K, 20312K, 21312K, 22212K, C 2212KV
HE 313	2.1/4"	65	M 65x1,5	50	85		KM 13x1.5 + MB 13	1313K, 2213K, 20313K, 21313K, 22213K, C 2213KV
HE 314	2.1/4"	70	M 70x2	52	92		KM 14 + MB 14	1314K, 2214K, 20314K, 21314K, 22214K, C 2214KV
HE 315	2.1/2"	75	M 75x2	55	98		KM 15 + MB 15	1315K, 2215K, 20315K, 21315K, 22215K, C 2215KV
HE 316	2.3/4"	80	M 80x2	59	105		KM 16 + MB 16	1316K, 2216K, 20316K, 21316K, 22216K, C 2216KV
HE 317	3"	85	M 85x2	63	110		KM 17 + MB 17	1317K, 2217K, 20317K, 21317K, 22217K, C 2217KV
HE 318	3.1/4"	90	M 90x2	65	120		KM 18 + MB 18	1318K, 2218K, 20318K, 21318K, 22218K
HE 319	3.1/4"	95	M 95x2	68	125		KM 19 + MB 19	1319K, 2219K, 20319K, 21319K, 22219K
HE 320	3.1/2"	100	M 100x2	71	130		KM 20 + MB 20	1320K, 2220K, 20320K, 21320K, 22220K
HE 321	3.3/4"	105	M 105x2	74	140		KM 21 + MB 21	2221K, 20321K, 21321K
HE 322	4"	110	M 110x2	77	145		KM 22 + MB 22	1322K, 2222K, 20322K, 21322K, 22222K, 23022K

Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
------	----	---	---	---	----	---	--------------------------	----------

	mm	mm	mm	mm	mm			
HE/HS 2304	5/8"	20	M 20x1	31	32		KM 4 + MB 4	2304K
HE 2305	3/4"	25	M 25x1,5	35	38		KM 5 + MB 5	2305K, UK 205, UK 305, YSA 205-2FK
HE 2306	1"	30	M 30x1,5	38	45		KM 6 + MB 6	2306K, UK 206, UK 306, YSA 206-2FK
HE/HS 2307	1.1/8"	35	M 35x1,5	43	52		KM 7 + MB 7	2307K, UK 207, UK 307, YSA 207-2FK
HE 2308	1.1/4"	40	M 40x1,5	46	58		KM 8 + MB 8	2308K, 22308K, UK 208, UK 308, YSA 208-2FK
HE 2309	1.1/2"	45	M 45x1,5	50	65		KM 9 + MB 9	2309K, 22309K, UK 209, UK 309, YSA 209-2FK
HE 2310	1.3/4"	50	M 50x1,5	55	70		KM 10 + MB 10	2310K, 22310K, UK 210, UK 310, YSA 210-2FK
HE 2311	2"	55	M 55x1,5	59	75		KM 11x1.5 + MB 11	2311K, 22311K, UK 211, UK 311, YSA 211-2FK
HE/HS 2312	2.1/8"	60	M 60x1,5	62	80		KM 12x1.5 + MB 12	2312K, 22312K, UK 212, UK 312, YSA 212-2FK
HE 2313	2.1/4"	65	M 65x1,5	65	85		KM 13x1.5 + MB 13	2313K, 22313K, UK 213, UK 313, YSA 213-2FK
HE 2314	2.1/4"	70	M 70x2	68	92		KM 14 + MB 14	2314K, 22314K, C 2314K
HE 2315	2.1/2"	75	M 75x2	73	98		KM 15 + MB 15	2315K, 22315K, C 2315K, UK 215, UK 315
HE 2316	2.3/4"	80	M 80x2	78	105		KM 16 + MB 16	2316K, 22316K, C 2316K, UK 216, UK 316
HE 2317	3"	85	M 85x2	82	110		KM 17 + MB 17	2317K, 22317K, C 2317K, UK 217, UK 317
HE 2318	3.1/4"	90	M 90x2	86	120		KM 18 + MB 18	2318K, 22318K, 23218K, C 2318K, UK 218, UK 318
HE 2319	3.1/4"	95	M 95x2	90	125		KM 19 + MB 19	2319K, 22319K, C 2319K, UK 319
HE 2320	3.1/2"	100	M 100x2	97	130		KM 20 + MB 20	2320K, 22320K, 23220K, C 2320K, UK 320
HE 2321	3.3/4"	105	M 105x2	101	140		KM 21 + MB 21	23221K
HE 2322	4"	110	M 110x2	105	145		KM 22 + MB 22	22322K, 23222K, UK 322
HE 2324	4.1/4"	120	M 120x2	112	155		KM 24 + MB 24	22324K, 23224K, UK 324
HE 2326	4.1/2"	130	M 130x2	121	165		KM 26 + MB 26	22326K, 23226K, C 2326K, UK 326
HE 2328	5"	140	M 140x2	131	180		KM 28 + MB 28	22328K, 23228K, UK 328
HE 2330	5.1/4"	150	M 150x2	139	195		KM 30 + MB 30	22330K, 23230K
HE 2332	5.1/2"	160	M 160x3	147	210		KM 32 + MB 32	22332K, 23232K
HE 2334	6"	170	M 170x3	154	220		KM 34 + MB 34	22334K, 23234K
HE 2336	6.1/2"	180	M 180x3	161	230		KM 36 + MB 36	22336K, 23236K, C 3236K
HE 2338	6.3/4"	190	M 190x3	169	240		KM 38 + MB 38	22338K, 23238K
HE 2340	7"	200	M 200x3	176	250		KM 40 + MB 40	22340K, 23240K
Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HE 2344	8"	220	Tr 220x4	186	280		HM 3144 + MS 3144-MS 3148	22344K, 23244K
HE 2348	8.1/2"	240	Tr 240x4	199	300		HM 3148 + MS 3144-MS 3148	22348K, 23248K

HE 2352	9.1/2"	260	Tr 260x4	211	330		HM 3152 + MS 3152-MS 3156	22352K, 23252K
HE 2356	10"	280	Tr 280x4	224	350		HM 3156 + MS 3152-MS 3156	22356K, 23256K
HE 3024	4.1/4"	120	M 120x2	72	145		KML 24 + MBL 24	1224K, 20224K, 23024K, C 3024KV
HE 3026	4.1/2"	130	M 130x2	80	155		KML 26 + MBL 26	20226K, 23026K, C 3026K
HE 3028	5"	140	M 140x2	82	165		KML 28 + MBL 28	20228K, 23028K, C 3028K
HE 3030	5.1/4"	150	M 150x2	87	180		KML 30 + MBL 30	20230K, 23030K, C 3030KV
HE 3032	5.1/2"	160	M 160x3	93	190		KML 32 + MBL 32	20232K, 23032K, C 3032K
HE 3034	6"	170	M 170x3	101	200		KML 34 + MBL 34	20234K, 23034K, C 3034K
HE 3036	6.1/2"	180	M 180x3	109	210		KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
HE 3038	6.3/4"	190	M 190x3	112	220		KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
HE 3040	7"	200	M 200x3	120	240		KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
HE 3044	8"	220	Tr 220x4	126	260		HM 3044 + MS 3044	20244K, 20344K, 23044K, C 3044K
HE 3048	8.1/2"	240	Tr 240x4	133	290		HM 3048 + MS 3048-MS 3052	20248K, 20348K, 23048K, C 3048K
HE 3052	9.1/2"	260	Tr 260x4	145	310		HM 3052 + MS 3048-MS 3052	20252K, 23052K, C 3052K
HE 3056	10"	280	Tr 280x4	152	330		HM 3056 + MS 3056	20256K, 23056K, C 3056K
HE 3060	11"	300	Tr 300x4	168	360		HM 3060 + MS 3060	23060K, C 3060K
HE 3064	11.1/2"	320	Tr 320x5	171	380		HM 3064 + MS 3064-MS 3068	23064K, C 3064K
HE 3068	12"	340	Tr 340x5	187	400		HM 3068 + MS 3064-MS 3068	23068K, C 3068K
HE 3072	13"	360	Tr 360x5	188	420		HM 3072 + MS 3072	23072K, C 3072K
HE 3076	14"	380	Tr 380x5	193	450		HM 3076 + MS 3076-MS 3080	23076K, C 3076K
HE 3080	15"	400	Tr 400x5	210	470		HM 3080 + MS 3076-MS 3080	23080K, C 3080K
HE 3084	15.3/4"	420	Tr 420x5	212	490		HM 3084 + MS 3084	23084K, C 3084K
HE 3088	16"	440	Tr 440x5	228	520		HM 3088 + MS 3088-MS 3092	23088K
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HE 3092	17"	460	Tr 460x5	234	540		HM 3092 + MS 3088-MS 3092	23092K, C 3092K
HE 3096	18"	480	Tr 480x5	237	560		HM 3096 + MS 3096-30/500	23096K, C 3096K
HE 30/500	18.1/2"	500	Tr 500x5	247	580		HM 30/500 + MS 3096-30/500	230/500K, C 30/500K
HE 3120	3.1/2"	100	M 100x2	76	130		KM 20 + MB 20	23120K, C 3120KV
HE 3122	4"	110	M 110x2	81	145		KM 22 + MB 22	23122K
HE 3124	4.1/4"	120	M 120x2	88	155		KM 24 + MB 24	20324K, 22224K, 23124K
HE 3126	4.1/2"	130	M 130x2	92	165		KM 26 + MB 26	20326K, 22226K, 23126K
HE 3128	5"	140	M 140x2	97	180		KM 28 + MB 28	20328K, 22228K, 23128K

HE 3130	5.1/4"	150	M 150x2	111	195		KM 30 + MB 30	20330K, 22230K, 23130K
HE 3132	5.1/2"	160	M 160x3	119	210		KM 32 + MB 32	20332K, 22232K, 23132K
HE 3134	6"	170	M 170x3	122	220		KM 34 + MB 34	20334K, 22234K, 23134K
HE 3136	6.1/2"	180	M 180x3	131	230		KM 36 + MB 36	22236K, 23136K
HE 3138	6.3/4"	190	M 190x3	141	240		KM 38 + MB 38	22238K, 23138K, C 2238K
HE 3140	7"	200	M 200x3	150	250		KM 40 + MB 40	22240K, 23140K, C 3140K
HE 3144	8"	220	Tr 220x4	161	280		HM 3144 + MS 3144-MS 3148	22244K, 23144K, C 2244K
HE 3148	8.1/2"	240	Tr 240x4	172	300		HM 3148 + MS 3144-MS 3148	22248K, 23148K
HE 3152	9.1/2"	260	Tr 260x4	190	330		HM 3152 + MS 3152-MS 3156	22252K, 23152K

Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		

HE 3156	10"	280	Tr 280x4	195	350		HM 3156 + MS 3152-MS 3156	22256K, 23156K
HE 3160	11"	300	Tr 300x4	208	380		HM 3160 + MS 3160	22260K, 23160K, C 3160K
HE 3164	11.1/2"	320	Tr 320x5	226	400		HM 3164 + MS 3164	22264K, 23164K, C 3164K
HE 3168	12"	340	Tr 340x5	254	440		HM 3168 + MS 3168-MS 3172	23168K, C 3168K
HE 3172	13"	360	Tr 360x5	259	460		HM 3172 + MS 3168-MS 3172	23172K, C 3172K
HE 3176	14"	380	Tr 380x5	264	490		HM 3176 + MS 3176	23176K
HE 3180	15"	400	Tr 400x5	272	520		HM 3180 + MS 3180-MS 3184	23180K, C 3180K
HE 3184	15.3/4"	420	Tr 420x5	304	540		HM 3184 + MS 3180-MS 3184	23184K, C 3184K
HE 3188	16"	440	Tr 440x5	307	560		HM 3188 + MS 3188-MS 3192	23188K
HE 3192	17"	460	Tr 460x5	326	580		HM 3192 + MS 3188-MS 3192	23192K, C 3192K
HE 3196	18"	480	Tr 480x5	335	620		HM 3196 + MS 3196	23196K
HE 31/500	18.1/2"	500	Tr 500x5	356	630		HM 31/500 + MS 31/500	231/500K, C 31/500K
HE 3260	11"	300	Tr 300x4	240	380		HM 3160 + MS 3160	22360K, 23260K
HE 3264	11.1/2"	320	Tr 320x5	258	400		HM 3164 + MS 3164	22364K, 23264K
HE 3268	12"	340	Tr 340x5	288	440		HM 3168 + MS 3168-MS 3172	22368K, 23268K
HE 3272	13"	360	Tr 360x5	299	460		HM 3172 + MS 3168-MS 3172	22372K, 23272K
HE 3276	14"	380	Tr 380x5	310	490		HM 3176 + MS 3176	22376K, 23276K

Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm	mm		

HE 3280	15"	400	Tr 400x5	328	520		HM 3180 + MS 3180-MS 3184	22380K, 23280K
HE 3284	15.3/4"	420	Tr 420x5	352	540		HM 3184 + MS 3180-MS 3184	22384K, 23284K
HE 3288	16"	440	Tr 440x5	361	560		HM 3188 + MS 3188-MS 3192	22388K, 23288K

HE 3292	17"	460	Tr 460x5	382	580	HM 3192 + MS 3188-MS 3192	22392K, 23292K	
HE 3296	18"	480	Tr 480x5	397	620	HM 3196 + MS 3196	22396K, 23296K	
HE 32/500	18.1/2"	500	Tr 500x5	428	630	HM 31/500 + MS 31/500	223/500K, 232/500K	
HS 206	7/8"	30	M 30x1,5	27	45	KM 6 + MB 6	1206K, 20206K	
HS 208	1.3/8"	40	M 40x1,5	31	58	KM 8 + MB 8	1208K, 20208K	
HS 210	1.5/8"	50	M 50x1,5	35	70	KM 10 + MB 10	1210K, 20210K	
HS 211	1.7/8"	55	M 55x1,5	37	75	KM 11x1.5 + MB 11	1211K, 20211K	
HS 213	2.3/8"	65	M 65x1,5	40	85	KM 13x1.5 + MB 13	1213K, 20213K	
HS 215	2.5/8"	75	M 75x2	43	98	KM 15 + MB 15	1215K, 20215K	
HS 217	2.7/8"	85	M 85x2	50	110	KM 17 + MB 17	1217K, 20217K	
HS 218	3.1/8"	90	M 90x2	52	120	KM 18 + MB 18	1218K, 20218K	
HS 219	3.3/8"	95	M 95x2	55	125	KM 19 + MB 19	1219K, 20219K	
HS 220	3.5/8"	100	M 100x2	58	130	KM 20 + MB 20	1220K, 20220K	
HS 222	3.7/8"	110	M 110x2	63	145	KM 22 + MB 22	1222K, 20222K	
HS 306	7/8"	30	M 30x1,5	31	45	KM 6 + MB 6	1306K, 2206K, 20306K, 22206K	
HS 308	1.3/8"	40	M 40x1,5	36	58	KM 8 + MB 8	1308K, 2208K, 20308K, 21308K, 22208K, C 2208KV	
HS 310	1.5/8"	50	M 50x1,5	42	70	KM 10 + MB 10	1310K, 2210K, 20310K, 21310K, 22210K	
HS 311	1.7/8"	55	M 55x1,5	45	75	KM 11x1.5 + MB 11	1311K, 2211K, 20311K, 21311K, 22211K	
HS 313	2.3/8"	65	M 65x1,5	50	85	KM 13x1.5 + MB 13	1313K, 2213K, 20313K, 21313K, 22213K, C 2213KV	
HS 315	2.5/8"	75	M 75x2	55	98	KM 15 + MB 15	1315K, 2215K, 20315K, 21315K, 22215K, C 2215KV	
HS 317	2.7/8"	85	M 85x2	63	110	KM 17 + MB 17	1317K, 2217K, 20317K, 21317K, 22217K, C 2217KV	
HS 318	3.1/8"	90	M 90x2	65	120	KM 18 + MB 18	1318K, 2218K, 20318K, 21318K, 22218K	
HS 319	3.3/8"	95	M 95x2	68	125	KM 19 + MB 19	1319K, 2219K, 20319K, 21319K, 22219K	
HS 320	3.5/8"	100	M 100x2	71	130	KM 20 + MB 20	1320K, 2220K, 20320K, 21320K, 22220K	
HS 322	3.7/8"	110	M 110x2	77	145	KM 22 + MB 22	1322K, 2222K, 20322K, 21322K, 22222K, 23022K	
HS 2306	7/8"	30	M 30x1,5	38	45	KM 6 + MB 6	2306K, UK 206, UK 306, YSA 206-2FK	
HS 2308	1.3/8"	40	M 40x1,5	46	58	KM 8 + MB 8	2308K, 22308K, UK 208, UK 308, YSA 208-2FK	
Code	d1	d	G	I	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HS 2310	1.5/8"	50	M 50x1,5	55	70		KM 10 + MB 10	2310K, 22310K, UK 210, UK 310, YSA 210-2FK
HS 2311	1.7/8"	55	M 55x1,5	59	75		KM 11x1.5 + MB 11	2311K, 22311K, UK 211, UK 311, YSA 211-2FK
HS 2313	2.3/8"	65	M 65x1,5	65	85		KM 13x1.5 + MB 13	2313K, 22313K, UK 213, UK 313, YSA 213-2FK
HS 2315	2.5/8"	75	M 75x2	73	98		KM 15 + MB 15	2315K, 22315K, C 2315K, UK 215, UK 315

HS 2317	2.7/8"	85	M 85x2	82	110		KM 17 + MB 17	2317K, 22317K, C 2317K, UK 217, UK 317
HS 2318	3.1/8"	90	M 90x2	86	120		KM 18 + MB 18	2318K, 22318K, 23218K, C 2318K, UK 218, UK 318
HS 2319	3.3/8"	95	M 95x2	90	125		KM 19 + MB 19	2319K, 22319K, C 2319K, UK 319
HS 2320	3.5/8"	100	M 100x2	97	130		KM 20 + MB 20	2320K, 22320K, 23220K, C 2320K, UK 320
HS 2322	3.7/8"	110	M 110x2	105	145		KM 22 + MB 22	22322K, 23222K, UK 322
HS 2324	4.3/8"	120	M 120x2	112	155		KM 24 + MB 24	22324K, 23224K, UK 324
HS 2328	4.7/8"	140	M 140x2	131	180		KM 28 + MB 28	22328K, 23228K, UK 328
HS 2330	5.3/8"	150	M 150x2	139	195		KM 30 + MB 30	22330K, 23230K
HS 2334	5.7/8"	170	M 170x3	154	220		KM 34 + MB 34	22334K, 23234K
HS 2336	6.3/8"	180	M 180x3	161	230		KM 36 + MB 36	22336K, 23236K, C 3236K
HS 2338	6.5/8"	190	M 190x3	169	240		KM 38 + MB 38	22338K, 23238K
HS 2340	7.1/8"	200	M 200x3	176	250		KM 40 + MB 40	22340K, 23240K
HS 3024	4.3/8"	120	M 120x2	72	145		KML 24 + MBL 24	1224K, 20224K, 23024K, C 3024KV
HS 3028	4.7/8"	140	M 140x2	82	165		KML 28 + MBL 28	20228K, 23028K, C 3028K
HS 3030	5.3/8"	150	M 150x2	87	180		KML 30 + MBL 30	20230K, 23030K, C 3030KV
HS 3034	5.7/8"	170	M 170x3	101	200		KML 34 + MBL 34	20234K, 23034K, C 3034K
HS 3036	6.3/8"	180	M 180x3	109	210		KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
HS 3038	6.5/8"	190	M 190x3	112	220		KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
HS 3040	7.1/8"	200	M 200x3	120	240		KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
HS 3120	3.5/8"	100	M 100x2	76	130		KM 20 + MB 20	23120K, C 3120KV
HS 3122	3.7/8"	110	M 110x2	81	145		KM 22 + MB 22	23122K
HS 3124	4.3/8"	120	M 120x2	88	155		KM 24 + MB 24	20324K, 22224K, 23124K
HS 3128	4.7/8"	140	M 140x2	97	180		KM 28 + MB 28	20328K, 22228K, 23128K
HS 3130	5.3/8"	150	M 150x2	111	195		KM 30 + MB 30	20330K, 22230K, 23130K
HS 3134	5.7/8"	170	M 170x3	122	220		KM 34 + MB 34	20334K, 22234K, 23134K
HS 3136	6.3/8"	180	M 180x3	131	230		KM 36 + MB 36	22236K, 23136K
Code	d1	d	G	l	Dm	P	Locknut + Locking Device	Bearings
		mm	mm	mm	mm	mm		
HS 3138	6.5/8"	190	M 190x3	141	240		KM 38 + MB 38	22238K, 23138K, C 2238K
HS 3140	7.1/8"	200	M 200x3	150	250		KM 40 + MB 40	22240K, 23140K, C 3140K