



Hydraulic Adapter Sleeves

Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
	mm	mm	mm	mm	mm			
OH 2332H	140 mm	160	M 160x3	147	210	M6x1	KM 32 + MB 32	22332K, 23232K
OH 2332HL	140 mm	160	M 160x3	147	190	M6x1	KML 32 + MBL 32	C 3232K
OH 2334H	150 mm	170	M 170x3	154	220	M6x1	KM 34 + MB 34	22334K, 23234K
OH 2336H	160 mm	180	M 180x3	161	230	M6x1	KM 36 + MB 36	22336K, 23236K, C 3236K
OH 2338H	170 mm	190	M 190x3	169	240	M6x1	KM 38 + MB 38	22338K, 23238K
OH 2340H	180 mm	200	M 200x3	176	250	M6x1	KM 40 + MB 40	22340K, 23240K
OH 2344H	200 mm	220	Tr 220x4	186	280	M6x1	HM 3144 + MS 3144-MS 3148	22344K, 23244K
OH 2344XH	200 mm	220	Tr 220x4	186	280	M6x1	HM 44T + MB 44	22344K, 23244K
OH 2348H	220 mm	240	Tr 240x4	199	300	M6x1	HM 3148 + MS 3144-MS 3148	22348K, 23248K
OH 2348XH	220 mm	240	Tr 240x4	199	300	M6x1	HM 48T + MB 48	22348K, 23248K
OH 2352H	240 mm	260	Tr 260x4	211	330	M6x1	HM 3152 + MS 3152-MS 3156	22352K, 23252K
OH 2352XH	240 mm	260	Tr 260x4	211	330	M6x1	HM 52T + MB 52	22352K, 23252K
OH 2356H	260 mm	280	Tr 280x4	224	350	M6x1	HM 3156 + MS 3152-MS 3156	22356K, 23256K
OH 2356XH	260 mm	280	Tr 280x4	224	350	M6x1	HM 56T + MB 56	22356K, 23256K
OH 3032H	140 mm	160	M 160x3	93	190	M6x1	KML 32 + MBL 32	20232K, 23032K, C 3032K
OH 3034H	150 mm	170	M 170x3	101	200	M6x1	KML 34 + MBL 34	20234K, 23034K, C 3034K
OH 3036H	160 mm	180	M 180x3	109	210	M6x1	KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
OH 3038H	170 mm	190	M 190x3	112	220	M6x1	KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
OH 3040H	180 mm	200	M 200x3	120	240	M6x1	KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
OH 3044H	200 mm	220	Tr 220x4	126	260	M6x1	HM 3044 + MS 3044	20244K, 20344K, 23044K, C 3044K

OH 3048H	220 mm	240	Tr 240x4	133	290	M6x1	HM 3048 + MS 3048-MS 3052	20248K, 20348K, 23048K, C 3048K
OH 3052H	240 mm	260	Tr 260x4	145	310	M6x1	HM 3052 + MS 3048-MS 3052	20252K, 23052K, C 3052K
OH 3056H	260 mm	280	Tr 280x4	152	330	M6x1	HM 3056 + MS 3056	20256K, 23056K, C 3056K
OH 3060H	280 mm	300	Tr 300x4	168	360	M6x1	HM 3060 + MS 3060	23060K, C 3060K
OH 3064H	300 mm	320	Tr 320x5	171	380	M6x1	HM 3064 + MS 3064-MS 3068	23064K, C 3064K
OH 3068H	320 mm	340	Tr 340x5	187	400	M6x1	HM 3068 + MS 3064-MS 3068	23068K, C 3068K
OH 3072H	340 mm	360	Tr 360x5	188	420	M6x1	HM 3072 + MS 3072	23072K, C 3072K
OH 3076H	360 mm	380	Tr 380x5	193	450	M6x1	HM 3076 + MS 3076-MS 3080	23076K, C 3076K
OH 3080H	380 mm	400	Tr 400x5	210	470	M6x1	HM 3080 + MS 3076-MS 3080	23080K, C 3080K
OH 3084H	400 mm	420	Tr 420x5	212	490	M6x1	HM 3084 + MS 3084	23084K, C 3084K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OH 3088H	410 mm	440	Tr 440x5	228	520	M8x1,25	HM 3088 + MS 3088-MS 3092	23088K
OH 3088HE	410 mm	440	Tr 440x5	228	520	M8x1,25	HME 3088 + MS 3088-MS 3092	C 3088K
OH 3092H	430 mm	460	Tr 460x5	234	540	M8x1,25	HM 3092 + MS 3088-MS 3092	23092K, C 3092K
OH 3096H	450 mm	480	Tr 480x5	237	560	M8x1,25	HM 3096 + MS 3096-30/500	23096K, C 3096K
OH 30/500H	470 mm	500	Tr 500x5	247	580	M8x1,25	HM 30/500 + MS 3096-30/500	230/500K, C 30/500K
OH 30/530H	500 mm	530	Tr 530x6	265	630	M8x1,25	HM 30/530 + MS 30/530-600	230/530K, C 30/530K
OH 30/560H	530 mm	560	Tr 560x6	282	650	M8x1,25	HM 30/560 + MS 30/560	230/560K, C 30/560K
OH 30/600H	560 mm	600	Tr 600x6	289	700	G1/8"x28FPP	HM 30/600 + MS 30/530-600	230/600K, C 30/600K
OH 30/630H	600 mm	630	Tr 630x6	301	730	M8x1,25	HM 30/630 + MS 30/630	230/630K, C 30/630K
OH 30/670H	630 mm	670	Tr 670x6	324	780	G1/8"x28FPP	HM 30/670 + MS 30/670	230/670K, C 30/670K
OH 30/710H	670 mm	710	Tr 710x7	342	830	G1/8"x28FPP	HM 30/710 + MS 30/710	230/710K, C 30/710K
OH 30/750H	710 mm	750	Tr 750x7	356	870	G1/8"x28FPP	HM 30/750 + MS 30/750-800	230/750K
OH 30/750HE	710 mm	750	Tr 750x7	356	870	G1/8"x28FPP	HME 30/750 + MS 30/750-800	C 30/750K
OH 30/800H	750 mm	800	Tr 800x7	366	920	G1/8"x28FPP	HM 30/800 + MS 30/750-800	230/800K
OH 30/800HE	750 mm	800	Tr 800x7	366	920	G1/8"x28FPP	HME 30/800 + MS 30/750-800	C 30/800K
OH 30/850H	800 mm	850	Tr 850x7	380	980	G1/8"x28FPP	HM 30/850 + MS 30/850-900	230/850K
OH 30/850HE	800 mm	850	Tr 850x7	380	980	G1/8"x28FPP	HME 30/850 + MS 30/850-900	C 30/850K
OH 30/900H	850 mm	900	Tr 900x7	400	1030	G1/8"x28FPP	HM 30/900 + MS 30/850-900	230/900K, C 30/900K
OH 30/900HE	850 mm	900	Tr 900x7	400	1030	G1/8"x28FPP	HM 30/900 + MS 30/850-900	C 30/900K
OH 30/950H	900 mm	950	Tr 950x8	420	1080	G1/8"x28FPP	HM 30/950 + MS 30/950	230/950K
OH 30/950HE	900 mm	950	Tr 950x8	420	1080	G1/8"x28FPP	HME 30/950 + MS 30/950	C 30/950K

OH 30/1000H	950 mm	1000	Tr 1000x8	430	1140	G1/8"x28FPP	HM 30/1000 + MS 30/1000	230/1000K
OH 30/1000HE	950 mm	1000	Tr 1000x8	430	1140	G1/8"x28FPP	HME 30/1000 + MS 30/1000	C 30/1000K
OH 30/1060H	1000 mm	1060	Tr 1060x8	447	1200	G1/4"x19FPP	HM 30/1060 + MS 30/1000	230/1060K
OH 3132H	140 mm	160	M 160x3	119	210	M6x1	KM 32 + MB 32	20332K, 22232K, 23132K
OH 3132HE	140 mm	160	M 160x3	119	210	M6x1	KMFE 32	C 3132K
OH 3132HL	140 mm	160	M 160x3	119	190	M6x1	KML 32 + MBL 32	20332K, 22232K, 23132K
OH 3134H	150 mm	170	M 170x3	122	220	M6x1	KM 34 + MB 34	20334K, 22234K, 23134K
OH 3134HL	150 mm	170	M 170x3	122	200	M6x1	KML 34 + MBL 34	C 2234K, C 3134K
OH 3136H	160 mm	180	M 180x3	131	230	M6x1	KM 36 + MB 36	22236K, 23136K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OH 3136HL	160 mm	180	M 180x3	131	210	M6x1	KML 36 + MBL 36	C 3136K
OH 3138H	170 mm	190	M 190x3	141	240	M6x1	KM 38 + MB 38	22238K, 23138K, C 2238K
OH 3138HL	170 mm	190	M 190x3	141	220	M6x1	KML 38 + MBL 38	C 3138K
OH 3140H	180 mm	200	M 200x3	150	250	M6x1	KM 40 + MB 40	22240K, 23140K, C 3140K
OH 3140HL	180 mm	200	M 200x3	150	240	M6x1	KML 40 + MBL 40	22240K, 23140K, C 3140K
OH 3144H	200 mm	220	Tr 220x4	161	280	M6x1	HM 3144 + MS 3144-MS 3148	22244K, 23144K, C 2244K
OH 3144HTL	200 mm	220	Tr 220x4	156	260	M6x1	HM 3044 + MS 3044	C 3144K
OH 3144XH	200 mm	220	Tr 220x4	161	280	M6x1	HM 44T + MB 44	22244K, 23144K
OH 3148H	220 mm	240	Tr 240x4	172	300	M6x1	HM 3148 + MS 3144-MS 3148	22248K, 23148K
OH 3148HTL	220 mm	240	Tr 240x4	169	290	M6x1	HM 3048 + MS 3048-MS 3052	C 3148K
OH 3148XH	220 mm	240	Tr 240x4	172	300	M6x1	HM 48T + MB 48	22248K, 23148K
OH 3152H	240 mm	260	Tr 260x4	190	330	M6x1	HM 3152 + MS 3152-MS 3156	22252K, 23152K
OH 3152HTL	240 mm	260	Tr 260x4	185	310	M6x1	HM 3052 + MS 3048-MS 3052	C 3152K
OH 3152XH	240 mm	260	Tr 260x4	190	330	M6x1	HM 52T + MB 52	22252K, 23152K
OH 3156H	260 mm	280	Tr 280x4	195	350	M6x1	HM 3156 + MS 3152-MS 3156	22256K, 23156K
OH 3156HTL	260 mm	280	Tr 280x4	192	330	M6x1	HM 3056 + MS 3056	C 3156K
OH 3156XH	260 mm	280	Tr 280x4	195	350	M6x1	HM 56T + MB 56	22256K, 23156K
OH 3160H	280 mm	300	Tr 300x4	208	380	M6x1	HM 3160 + MS 3160	22260K, 23160K, C 3160K
OH 3160HTL	280 mm	300	Tr 300x4	208	360	M6x1	HM 3060 + MS 3060	22260K, 23160K, C 3160K
OH 3164H	300 mm	320	Tr 320x5	226	400	M6x1	HM 3164 + MS 3164	22264K, 23164K, C 3164K
OH 3164HTL	300 mm	320	Tr 320x5	226	380	M6x1	HM 3064 + MS 3064-MS 3068	22264K, 23164K, C 3164K
OH 3168H	320 mm	340	Tr 340x5	254	440	M6x1	HM 3168 + MS 3168-MS 3172	23168K, C 3168K

OH 3168HTL	320 mm	340	Tr 340x5	244	400	M6x1	HM 3068 + MS 3064-MS 3068	23168K, C 3168K
OH 3172H	340 mm	360	Tr 360x5	259	460	M6x1	HM 3172 + MS 3168-MS 3172	23172K, C 3172K
OH 3172HTL	340 mm	360	Tr 360x5	246	420	M6x1	HM 3072 + MS 3072	23172K, C 3172K
OH 3172HE	340 mm	360	Tr 360x5	259	460	M6x1	HME 3172 + MS 3168-MS 3172	23172K, C 3172K
OH 3176H	360 mm	380	Tr 380x5	264	490	M6x1	HM 3176 + MS 3176	23176K
OH 3176HTL	360 mm	380	Tr 380x5	252	450	M6x1	HM 3076 + MS 3076-MS 3080	23176K
OH 3176HE	360 mm	380	Tr 380x5	264	490	M6x1	HME 3176 + MS 3176	C 3176K
OH 3180H	380 mm	400	Tr 400x5	272	520	M6x1	HM 3180 + MS 3180-MS 3184	23180K, C 3180K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OH 3180HTL	380 mm	400	Tr 400x5	262	470	M6x1	HM 3080 + MS 3076-MS 3080	23180K, C 3180K
OH 3180HE	380 mm	400	Tr 400x5	272	520	M6x1	HME 3180 + MS 3180-MS 3184	C 3180K
OH 3184H	400 mm	420	Tr 420x5	304	540	M6x1	HM 3184 + MS 3180-MS 3184	23184K, C 3184K
OH 3184HTL	400 mm	420	Tr 420x5	286	490	M6x1	HM 3084 + MS 3084	23184K, C 3184K
OH 3188H	410 mm	440	Tr 440x5	307	560	M8x1,25	HM 3188 + MS 3188-MS 3192	23188K
OH 3188HTL	410 mm	440	Tr 440x5	297	520	M8x1,25	HM 3088 + MS 3088-MS 3092	23188K
OH 3188HE	410 mm	440	Tr 440x5	307	560	M8x1,25	HME 3188 + MS 3188-MS 3192	C 3188K
OH 3192H	430 mm	460	Tr 460x5	326	580	M8x1,25	HM 3192 + MS 3188-MS 3192	23192K, C 3192K
OH 3192HTL	430 mm	460	Tr 460x5	311	540	M8x1,25	HM 3092 + MS 3088-MS 3092	23192K, C 3192K
OH 3196H	450 mm	480	Tr 480x5	335	620	M8x1,25	HM 3196 + MS 3196	23196K
OH 3196HTL	450 mm	480	Tr 480x5	320	560	M8x1,25	HM 3096 + MS 3096-30/500	23196K
OH 3196HE	450 mm	480	Tr 480x5	335	620	M8x1,25	HME 3196 + MS 3196	C 3196K
OH 31/500H	470 mm	500	Tr 500x5	356	630	M8x1,25	HM 31/500 + MS 31/500	231/500K, C 31/500K
OH 31/500HTL	470 mm	500	Tr 500x5	344	580	M8x1,25	HM 30/500 + MS 3096-30/500	231/500K, C 31/500K
OH 31/530H	500 mm	530	Tr 530x6	364	670	M8x1,25	HM 31/530 + MS 31/530	222/530K, 231/530K, C 31/530K
OH 31/530HTL	500 mm	530	Tr 530x6	352	630	M8x1,25	HM 30/530 + MS 30/530-600	222/530K, 231/530K, C 31/530K
OH 31/560H	530 mm	560	Tr 560x6	377	710	M8x1,25	HM 31/560 + MS 31/560-600	222/560K, 231/560K
OH 31/560HTL	530 mm	560	Tr 560x6	368	650	M8x1,25	HM 30/560 + MS 30/560	222/560K, 231/560K
OH 31/560HE	530 mm	560	Tr 560x6	377	710	M8x1,25	HME 31/560 + MS 31/560-600	C 31/560K
OH 31/600H	560 mm	600	Tr 600x6	399	750	G1/8"x28FPP	HM 31/600 + MS 31/560-600	222/600K, 231/600K
OH 31/600HTL	560 mm	600	Tr 600x6	389	700	G1/8"x28FPP	HM 30/600 + MS 30/530-600	222/600K, 231/600K
OH 31/600HE	560 mm	600	Tr 600x6	399	750	G1/8"x28FPP	HME 31/600 + MS 31/560-600	C 31/600K
OH 31/630H	600 mm	630	Tr 630x6	424	800	M8x1,25	HM 31/630 + MS 31/630	222/630K, 231/630K

OH 31/630HTL	600 mm	630	Tr 630x6	424	730	M8x1,25	HM 30/630 + MS 30/630	222/630K, 231/630K
OH 31/630HE	600 mm	630	Tr 630x6	424	800	M8x1,25	HME 31/630 + MS 31/630	C 31/630K
OH 31/670H	630 mm	670	Tr 670x6	456	850	G1/8"x28FPP	HM 31/670 + MS 31/670	222/670K, 231/670K
OH 31/670HTL	630 mm	670	Tr 670x6	456	780	G1/8"x28FPP	HM 30/670 + MS 30/670	222/670K, 231/670K
OH 31/670HE	630 mm	670	Tr 670x6	456	850	G1/8"x28FPP	HME 31/670 + MS 31/670	C 31/670K
OH 31/710H	670 mm	710	Tr 710x7	467	900	G1/8"x28FPP	HM 31/710 + MS 31/710	222/710K, 231/710K
OH 31/710HTL	670 mm	710	Tr 710x7	467	830	G1/8"x28FPP	HM 30/710 + MS 30/710	222/710K, 231/710K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OH 31/710HE	670 mm	710	Tr 710x7	467	900	G1/8"x28FPP	HM 31/710 + MS 31/710	C 31/710K
OH 31/750H	710 mm	750	Tr 750x7	493	950	G1/8"x28FPP	HM 31/750 + MS 31/750-800	222/750K, 231/750K
OH 31/750HTL	710 mm	750	Tr 750x7	493	870	G1/8"x28FPP	HM 30/750 + MS 30/750-800	222/750K, 231/750K
OH 31/750HE	710 mm	750	Tr 750x7	493	950	G1/8"x28FPP	HME 31/750 + MS 31/750-800	C 31/750K
OH 31/800H	750 mm	800	Tr 800x7	505	1000	G1/8"x28FPP	HM 31/800 + MS 31/750-800	222/800K, 231/800K
OH 31/800HTL	750 mm	800	Tr 800x7	505	920	G1/8"x28FPP	HM 30/800 + MS 30/750-800	222/800K, 231/800K
OH 31/800HE	750 mm	800	Tr 800x7	505	1000	G1/8"x28FPP	HME 31/800 + MS 31/750-800	C 31/800K
OH 31/850H	800 mm	850	Tr 850x7	536	1060	G1/8"x28FPP	HM 31/850 + MS 31/850	222/850K, 231/850K
OH 31/850HTL	800 mm	850	Tr 850x7	536	980	G1/8"x28FPP	HM 30/850 + MS 30/850-900	222/850K, 231/850K
OH 31/850HE	800 mm	850	Tr 850x7	536	1060	G1/8"x28FPP	HME 31/850 + MS 31/850	C 31/850K
OH 31/900H	850 mm	900	Tr 900x7	557	1120	G1/8"x28FPP	HM 31/900 + MS 31/900	222/900K, 231/900K
OH 31/900HTL	850 mm	900	Tr 900x7	557	1030	G1/8"x28FPP	HM 30/900 + MS 30/850-900	222/900K, 231/900K
OH 31/950H	900 mm	950	Tr 950x8	583	1170	G1/8"x28FPP	HM 31/950 + MS 31/950	222/950K, 231/950K
OH 31/950HTL	900 mm	950	Tr 950x8	583	1080	G1/8"x28FPP	HM 30/950 + MS 30/950	222/950K, 231/950K
OH 31/1000H	950 mm	1000	Tr 1000x8	609	1240	G1/8"x28FPP	HM 31/1000 + MS 31/1000	222/1000K, 231/1000K
OH 31/1000HTL	950 mm	1000	Tr 1000x8	609	1140	G1/8"x28FPP	HM 30/1000 + MS 30/1000	222/1000K, 231/1000K
OH 31/1000HE	950 mm	1000	Tr 1000x8	609	1240	G1/8"x28FPP	HME 31/1000 + MS 31/1000	C 31/1000K
OH 31/1060H	1000 mm	1060	Tr 1060x8	622	1300	G1/8"x28FPP	HM 31/1060 + MS 31/1000	222/1060K, 231/1060K
OH 31/1060HTL	1000 mm	1060	Tr 1060x8	622	1200	G1/8"x28FPP	HM 30/1060 + MS 30/1000	222/1060K, 231/1060K
OH 3260H	280 mm	300	Tr 300x4	240	380	M6x1	HM 3160 + MS 3160	22360K, 23260K
OH 3264H	300 mm	320	Tr 320x5	258	400	M6x1	HM 3164 + MS 3164	22364K, 23264K
OH 3268H	320 mm	340	Tr 340x5	288	440	M6x1	HM 3168 + MS 3168-MS 3172	22368K, 23268K
OH 3272H	340 mm	360	Tr 360x5	299	460	M6x1	HM 3172 + MS 3168-MS 3172	22372K, 23272K
OH 3276H	360 mm	380	Tr 380x5	310	490	M6x1	HM 3176 + MS 3176	22376K, 23276K

OH 3280H	380 mm	400	Tr 400x5	328	520	M6x1	HM 3180 + MS 3180-MS 3184	22380K, 23280K
OH 3284H	400 mm	420	Tr 420x5	352	540	M6x1	HM 3184 + MS 3180-MS 3184	22384K, 23284K
OH 3288H	410 mm	440	Tr 440x5	361	560	M8x1,25	HM 3188 + MS 3188-MS 3192	22388K, 23288K
OH 3292H	430 mm	460	Tr 460x5	382	580	M8x1,25	HM 3192 + MS 3188-MS 3192	22392K, 23292K
OH 3296H	450 mm	480	Tr 480x5	397	620	M8x1,25	HM 3196 + MS 3196	22396K, 23296K
OH 32/500H	470 mm	500	Tr 500x5	428	630	M8x1,25	HM 31/500 + MS 31/500	223/500K, 232/500K
Code	d1	d mm	G mm	l mm	Dm mm	G1	Locknut + Locking Device	Bearings
OH 32/530H	500 mm	530	Tr 530x6	447	670	M8x1,25	HM 31/530 + MS 31/530	223/530K, 232/530K
OH 32/560H	530 mm	560	Tr 560x6	462	710	M8x1,25	HM 31/560 + MS 31/560-600	223/560K, 232/560K
OH 32/600H	560 mm	600	Tr 600x6	487	750	G1/8"x28FPP	HM 31/600 + MS 31/560-600	223/600K, 232/600K
OH 32/630H	600 mm	630	Tr 630x6	521	800	M8x1,25	HM 31/630 + MS 31/630	223/630K, 232/630K
OH 32/670H	630 mm	670	Tr 670x6	558	850	G1/8"x28FPP	HM 31/670 + MS 31/670	223/670K, 232/670K
OH 32/710H	670 mm	710	Tr 710x7	572	900	G1/8"x28FPP	HM 31/710 + MS 31/710	223/710K, 232/710K
OH 32/750H	710 mm	750	Tr 750x7	603	950	G1/8"x28FPP	HM 31/750 + MS 31/750-800	223/750K, 232/750K
OH 32/800H	750 mm	800	Tr 800x7	618	1000	G1/8"x28FPP	HM 31/800 + MS 31/750-800	232/800K
OH 32/850H	800 mm	850	Tr 850x7	651	1060	G1/8"x28FPP	HM 31/850 + MS 31/850	232/850K
OH 32/900H	850 mm	900	Tr 900x7	660	1120	G1/8"x28FPP	HM 31/900 + MS 31/900	232/900K
OH 32/950H	900 mm	950	Tr 950x8	675	1170	G1/8"x28FPP	HM 31/950 + MS 31/950	232/950K
OH 32/1000H	950 mm	1000	Tr 1000x8	707	1240	G1/8"x28FPP	HM 31/1000 + MS 31/1000	232/1000K
OH 3932H	140 mm	160	M 160x3	78	190	M6x1	KML 32 + MBL 32	23932K
OH 3934H	150 mm	170	M 170x3	79	200	M6x1	KML 34 + MBL 34	23934K
OH 3936H	160 mm	180	M 180x3	87	210	M6x1	KML 36 + MBL 36	23936K
OH 3938H	170 mm	190	M 190x3	89	220	M6x1	KML 38 + MBL 38	23938K
OH 3940H	180 mm	200	M 200x3	98	240	M6x1	KML 40 + MBL 40	23940K
OH 3944H	200 mm	220	Tr 220x4	96	260	M6x1	HM 3044 + MS 3044	23944K
OH 3948H	220 mm	240	Tr 240x4	101	290	M6x1	HM 3048 + MS 3048-MS 3052	23948K
OH 3952H	240 mm	260	Tr 260x4	116	310	M6x1	HM 3052 + MS 3048-MS 3052	23952K
OH 3956H	260 mm	280	Tr 280x4	121	330	M6x1	HM 3056 + MS 3056	23956K
OH 3960H	280 mm	300	Tr 300x4	140	360	M6x1	HM 3060 + MS 3060	23960K
OH 3964H	300 mm	320	Tr 320x5	140	380	M6x1	HM 3064 + MS 3064-MS 3068	23964K
OH 3968H	320 mm	340	Tr 340x5	144	400	M6x1	HM 3068 + MS 3064-MS 3068	23968K
OH 3972H	340 mm	360	Tr 360x5	144	420	M6x1	HM 3072 + MS 3072	23972K

OH 3972HE	340 mm	360	Tr 360x5	144	420	M6x1	HME 3072 + MS 3072	C 3972K
OH 3976H	360 mm	380	Tr 380x5	164	450	M6x1	HM 3076 + MS 3076-MS 3080	23976K, C 3976K
OH 3976HE	360 mm	380	Tr 380x5	164	450	M6x1	HME 3076 + MS 3076-MS 3080	C 3976K
OH 3980H	380 mm	400	Tr 400x5	168	470	M6x1	HM 3080 + MS 3076-MS 3080	23980K
OH 3980HE	380 mm	400	Tr 400x5	168	470	M6x1	HME 3080 + MS 3076-MS 3080	C 3980K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OH 3984H	400 mm	420	Tr 420x5	168	490	M6x1	HM 3084 + MS 3084	23984K
OH 3984HE	400 mm	420	Tr 420x5	168	490	M6x1	HME 3084 + MS 3084	C 3984K
OH 3988H	410 mm	440	Tr 440x5	189	520	M8x1,25	HM 3088 + MS 3088-MS 3092	23988K
OH 3988HE	410 mm	440	Tr 440x5	189	520	M8x1,25	HME 3088 + MS 3088-MS 3092	C 3988K
OH 3992H	430 mm	460	Tr 460x5	189	540	M8x1,25	HM 3092 + MS 3088-MS 3092	23992K
OH 3992HE	430 mm	460	Tr 460x5	189	540	M8x1,25	HME 3092 + MS 3088-MS 3092	C 3992K
OH 3996H	450 mm	480	Tr 480x5	200	560	M8x1,25	HM 3096 + MS 3096-30/500	23996K, C 3996K
OH 3996HE	450 mm	480	Tr 480x5	200	560	M8x1,25	HME 3096 + MS 3096-30/500	23996K, C 3996K
OH 39/500H	470 mm	500	Tr 500x5	208	580	M8x1,25	HM 30/500 + MS 3096-30/500	239/500K
OH 39/500HE	470 mm	500	Tr 500x5	208	580	M8x1,25	HME 30/500 + MS 3096-30/500	C 39/500K
OH 39/530H	500 mm	530	Tr 530x6	216	630	M8x1,25	HM 30/530 + MS 30/530-600	239/530K
OH 39/530HE	500 mm	530	Tr 530x6	216	630	M8x1,25	HME 30/530 + MS 30/530-600	C 39/530K
OH 39/560H	530 mm	560	Tr 560x6	227	650	M8x1,25	HM 30/560 + MS 30/560	239/560K
OH 39/560HE	530 mm	560	Tr 560x6	227	650	M8x1,25	HME 30/560 + MS 30/560	C 39/560K
OH 39/600H	560 mm	600	Tr 600x6	239	700	G1/8"x28FPP	HM 30/600 + MS 30/530-600	239/600K
OH 39/600HE	560 mm	600	Tr 600x6	239	700	G1/8"x28FPP	HME 30/600 + MS 30/530-600	C 39/600K
OH 39/630H	600 mm	630	Tr 630x6	254	730	M8x1,25	HM 30/630 + MS 30/630	239/630K
OH 39/630HE	600 mm	630	Tr 630x6	254	730	M8x1,25	HME 30/630 + MS 30/630	C 39/630K
OH 39/670H	630 mm	670	Tr 670x6	264	780	G1/8"x28FPP	HM 30/670 + MS 30/670	239/670K, C 39/670K
OH 39/670HE	630 mm	670	Tr 670x6	264	780	G1/8"x28FPP	HM 30/670 + MS 30/670	C 39/670K
OH 39/710H	670 mm	710	Tr 710x7	286	830	G1/8"x28FPP	HM 30/710 + MS 30/710	239/710K
OH 39/710HE	670 mm	710	Tr 710x7	286	830	G1/8"x28FPP	HME 30/710 + MS 30/710	C 39/710K
OH 39/750H	710 mm	750	Tr 750x7	291	870	G1/8"x28FPP	HM 30/750 + MS 30/750-800	239/750K
OH 39/750HE	710 mm	750	Tr 750x7	291	870	G1/8"x28FPP	HME 30/750 + MS 30/750-800	C 39/750K
OH 39/800H	750 mm	800	Tr 800x7	303	920	G1/8"x28FPP	HM 30/800 + MS 30/750-800	239/800K
OH 39/800HE	750 mm	800	Tr 800x7	303	920	G1/8"x28FPP	HME 30/800 + MS 30/750-800	C 39/800K

OH 39/850H	800 mm	850	Tr 850x7	308	980	G1/8"x28FPP	HM 30/850 + MS 30/850-900	239/850K
OH 39/850HE	800 mm	850	Tr 850x7	308	980	G1/8"x28FPP	HME 30/850 + MS 30/850-900	C 39/850K
OH 39/900H	850 mm	900	Tr 900x7	326	1030	G1/8"x28FPP	HM 30/900 + MS 30/850-900	239/900K
OH 39/900HE	850 mm	900	Tr 900x7	326	1030	G1/8"x28FPP	HME 30/900 + MS 30/850-900	C 39/900K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OH 39/950H	900 mm	950	Tr 950x8	344	1080	G1/8"x28FPP	HM 30/950 + MS 30/950	239/950K
OH 39/950HE	900 mm	950	Tr 950x8	344	1080	G1/8"x28FPP	HME 30/950 + MS 30/950	C 39/950K
OH 39/1000H	950 mm	1000	Tr 1000x8	358	1140	G1/8"x28FPP	HM 30/1000 + MS 30/1000	239/1000K
OH 39/1060H	1000 mm	1060	Tr 1060x8	372	1200	G1/4"x19FPP	HM 30/1060 + MS 30/1000	239/1060K
OH 39/1060HE	1000 mm	1060	Tr 1060x8	372	1200	G1/4"x19FPP	HME 30/1060 + MS 30/1000	C 39/1060K
OH 39/1120H	1060 mm	1120	Tr 1120x8	372	1260	G1/4"x19FPP	HM 30/1120 + MS 30/1000	239/1120K
OHA 2332H	5.7/16"	160	M 160x3	147	210	M6x1	KM 32 + MB 32	22332K, 23232K
OHA 2334H	5.15/16"	170	M 170x3	154	220	M6x1	KM 34 + MB 34	22334K, 23234K
OHA 2336H	6.7/16"	180	M 180x3	161	230	M4x0,7	KM 36 + MB 36	22336K, 23236K, C 3236K
OHA 2338H	6.15/16"	190	M 190x3	169	240	M4x0,7	KM 38 + MB 38	22338K, 23238K
OHA 2340H	7.3/16"	200	M 200x3	176	250	M4x0,7	KM 40 + MB 40	22340K, 23240K
OHA 2344H	7.15/16"	220	Tr 220x4	186	280	M4x0,7	HM 3144 + MS 3144-MS 3148	22344K, 23244K
OHA 2344XH	7.15/16"	220	Tr 220x4	186	280	M4x0,7	HM 44T + MB 44	22344K, 23244K
OHA 2348H	8.7/16"	240	Tr 240x4	199	300	M6x1	HM 3148 + MS 3144-MS 3148	22348K, 23248K
OHA 2352H	9.7/16"	260	Tr 260x4	211	330	M6x1	HM 3152 + MS 3152-MS 3156	22352K, 23252K
OHA 2356H	10.7/16"	280	Tr 280x4	224	350	M4x0,7	HM 3156 + MS 3152-MS 3156	22356K, 23256K
OHA 2356XH	10.7/16"	280	Tr 280x4	224	350	M4x0,7	HM 56T + MB 56	22356K, 23256K
OHA 3032H	5.7/16"	160	M 160x3	93	190	M6x1	KML 32 + MBL 32	20232K, 23032K, C 3032K
OHA 3034H	5.15/16"	170	M 170x3	101	200	M6x1	KML 34 + MBL 34	20234K, 23034K, C 3034K
OHA 3036H	6.7/16"	180	M 180x3	109	210	M4x0,7	KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
OHA 3038H	6.15/16"	190	M 190x3	112	220	M4x0,7	KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
OHA 3040H	7.3/16"	200	M 200x3	120	240	M4x0,7	KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
OHA 3044H	7.15/16"	220	Tr 220x4	126	260	M4x0,7	HM 3044 + MS 3044	20244K, 20344K, 23044K, C 3044K
OHA 3048H	8.7/16"	240	Tr 240x4	133	290	M6x1	HM 3048 + MS 3048-MS 3052	20248K, 20348K, 23048K, C 3048K
OHA 3052H	9.7/16"	260	Tr 260x4	145	310	M6x1	HM 3052 + MS 3048-MS 3052	20252K, 23052K, C 3052K
OHA 3056H	10.7/16"	280	Tr 280x4	152	330	M4x0,7	HM 3056 + MS 3056	20256K, 23056K, C 3056K
OHA 3060H	10.15/16"	300	Tr 300x4	168	360	M6x1	HM 3060 + MS 3060	23060K, C 3060K

OHA 3068H	12.7/16"	340	Tr 340x5	187	400	M6x1	HM 3068 + MS 3064-MS 3068	23068K, C 3068K
OHA 3072H	13.7/16"	360	Tr 360x5	188	420	M4x0,7	HM 3072 + MS 3072	23072K, C 3072K
OHA 3076H	13.15/16"	380	Tr 380x5	193	450	M6x1	HM 3076 + MS 3076-MS 3080	23076K, C 3076K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OHA 3132H	5.7/16"	160	M 160x3	119	210	M6x1	KM 32 + MB 32	20332K, 22232K, 23132K
OHA 3132HL	5.7/16"	160	M 160x3	119	190	M6x1	KML 32 + MBL 32	20332K, 22232K, 23132K
OHA 3134H	5.15/16"	170	M 170x3	122	220	M6x1	KM 34 + MB 34	20334K, 22234K, 23134K
OHA 3134HL	5.15/16"	170	M 170x3	122	200	M6x1	KML 34 + MBL 34	C 2234K, C 3134K
OHA 3136H	6.7/16"	180	M 180x3	131	230	M4x0,7	KM 36 + MB 36	22236K, 23136K
OHA 3136HL	6.7/16"	180	M 180x3	131	210	M4x0,7	KML 36 + MBL 36	C 3136K
OHA 3138H	6.15/16"	190	M 190x3	141	240	M4x0,7	KM 38 + MB 38	22238K, 23138K, C 2238K
OHA 3140H	7.3/16"	200	M 200x3	150	250	M4x0,7	KM 40 + MB 40	22240K, 23140K, C 3140K
OHA 3144H	7.15/16"	220	Tr 220x4	161	280	M4x0,7	HM 3144 + MS 3144-MS 3148	22244K, 23144K, C 2244K
OHA 3144HTL	7.15/16"	220	Tr 220x4	156	260	M4x0,7	HM 3044 + MS 3044	C 3144K
OHA 3144XH	7.15/16"	220	Tr 220x4	161	280	M4x0,7	HM 44T + MB 44	22244K, 23144K
OHA 3148H	8.7/16"	240	Tr 240x4	172	300	M6x1	HM 3148 + MS 3144-MS 3148	22248K, 23148K
OHA 3148HTL	8.7/16"	240	Tr 240x4	169	290	M6x1	HM 3048 + MS 3048-MS 3052	C 3148K
OHA 3152H	9.7/16"	260	Tr 260x4	190	330	M6x1	HM 3152 + MS 3152-MS 3156	22252K, 23152K
OHA 3152HTL	9.7/16"	260	Tr 260x4	185	310	M6x1	HM 3052 + MS 3048-MS 3052	C 3152K
OHA 3156H	10.7/16"	280	Tr 280x4	195	350	M4x0,7	HM 3156 + MS 3152-MS 3156	22256K, 23156K
OHA 3156HTL	10.7/16"	280	Tr 280x4	192	330	M4x0,7	HM 3056 + MS 3056	C 3156K
OHA 3156XH	10.7/16"	280	Tr 280x4	195	350	M4x0,7	HM 56T + MB 56	22256K, 23156K
OHA 3160H	10.15/16"	300	Tr 300x4	208	380	M6x1	HM 3160 + MS 3160	22260K, 23160K, C 3160K
OHA 3160HTL	10.15/16"	300	Tr 300x4	208	360	M6x1	HM 3060 + MS 3060	22260K, 23160K, C 3160K
OHA 3164H	11.15/16"	320	Tr 320x5	226	400	M4x0,7	HM 3164 + MS 3164	22264K, 23164K, C 3164K
OHA 3164HTL	11.15/16"	320	Tr 320x5	226	380	M4x0,7	HM 3064 + MS 3064-MS 3068	22264K, 23164K, C 3164K
OHA 3168H	12.7/16"	340	Tr 340x5	254	440	M6x1	HM 3168 + MS 3168-MS 3172	23168K, C 3168K
OHA 3168HTL	12.7/16"	340	Tr 340x5	244	400	M6x1	HM 3068 + MS 3064-MS 3068	23168K, C 3168K
OHA 3172H	13.7/16"	360	Tr 360x5	259	460	M4x0,7	HM 3172 + MS 3168-MS 3172	23172K, C 3172K
OHA 3172HTL	13.7/16"	360	Tr 360x5	246	420	M4x0,7	HM 3072 + MS 3072	23172K, C 3172K
OHA 3176H	13.15/16"	380	Tr 380x5	264	490	M6x1	HM 3176 + MS 3176	23176K
OHA 3176HTL	13.15/16"	380	Tr 380x5	252	450	M6x1	HM 3076 + MS 3076-MS 3080	23176K

OHA 3260H	10.15/16"	300	Tr 300x4	240	380	M6x1	HM 3160 + MS 3160	22360K, 23260K
OHA 3268H	12.7/16"	340	Tr 340x5	288	440	M6x1	HM 3168 + MS 3168-MS 3172	22368K, 23268K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OHA 3272H	13.7/16"	360	Tr 360x5	299	460	M4x0,7	HM 3172 + MS 3168-MS 3172	22372K, 23272K
OHA 3276H	13.15/16"	380	Tr 380x5	310	490	M6x1	HM 3176 + MS 3176	22376K, 23276K
OHE 2332H	5.1/2"	160	M 160x3	147	210	M6x1	KM 32 + MB 32	22332K, 23232K
OHE 2332HL	5.1/2"	160	M 160x3	147	190	M6x1	KML 32 + MBL 32	C 3232K
OHE 2334H	6"	170	M 170x3	154	220	M4x0,7	KM 34 + MB 34	22334K, 23234K
OHE 2336H	6.1/2"	180	M 180x3	161	230	M4x0,7	KM 36 + MB 36	22336K, 23236K, C 3236K
OHE 2338H	6.3/4"	190	M 190x3	169	240	M6x1	KM 38 + MB 38	22338K, 23238K
OHE 2340H	7"	200	M 200x3	176	250	M6x1	KM 40 + MB 40	22340K, 23240K
OHE 2344H	8"	220	Tr 220x4	186	280	M4x0,7	HM 3144 + MS 3144-MS 3148	22344K, 23244K
OHE 2344XH	8"	220	Tr 220x4	186	280	M4x0,7	HM 44T + MB 44	22344K, 23244K
OHE 2348H	8.1/2"	240	Tr 240x4	199	300	M6x1	HM 3148 + MS 3144-MS 3148	22348K, 23248K
OHE 2348XH	8.1/2"	240	Tr 240x4	199	300	M6x1	HM 48T + MB 48	22348K, 23248K
OHE 2352H	9.1/2"	260	Tr 260x4	211	330	M4x0,7	HM 3152 + MS 3152-MS 3156	22352K, 23252K
OHE 2352XH	9.1/2"	260	Tr 260x4	211	330	M4x0,7	HM 52T + MB 52	22352K, 23252K
OHE 2356H	10"	280	Tr 280x4	224	350	M6x1	HM 3156 + MS 3152-MS 3156	22356K, 23256K
OHE 2356XH	10"	280	Tr 280x4	224	350	M6x1	HM 56T + MB 56	22356K, 23256K
OHE 3032H	5.1/2"	160	M 160x3	93	190	M6x1	KML 32 + MBL 32	20232K, 23032K, C 3032K
OHE 3034H	6"	170	M 170x3	101	200	M4x0,7	KML 34 + MBL 34	20234K, 23034K, C 3034K
OHE 3036H	6.1/2"	180	M 180x3	109	210	M4x0,7	KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
OHE 3038H	6.3/4"	190	M 190x3	112	220	M6x1	KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
OHE 3040H	7"	200	M 200x3	120	240	M6x1	KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
OHE 3044H	8"	220	Tr 220x4	126	260	M4x0,7	HM 3044 + MS 3044	20244K, 20344K, 23044K, C 3044K
OHE 3048H	8.1/2"	240	Tr 240x4	133	290	M6x1	HM 3048 + MS 3048-MS 3052	20248K, 20348K, 23048K, C 3048K
OHE 3052H	9.1/2"	260	Tr 260x4	145	310	M4x0,7	HM 3052 + MS 3048-MS 3052	20252K, 23052K, C 3052K
OHE 3056H	10"	280	Tr 280x4	152	330	M6x1	HM 3056 + MS 3056	20256K, 23056K, C 3056K
OHE 3060H	11"	300	Tr 300x4	168	360	M6x1	HM 3060 + MS 3060	23060K, C 3060K
OHE 3064H	11.1/2"	320	Tr 320x5	171	380	M6x1	HM 3064 + MS 3064-MS 3068	23064K, C 3064K
OHE 3068H	12"	340	Tr 340x5	187	400	M6x1	HM 3068 + MS 3064-MS 3068	23068K, C 3068K
OHE 3072H	13"	360	Tr 360x5	188	420	M6x1	HM 3072 + MS 3072	23072K, C 3072K

OHE 3076H	14"	380	Tr 380x5	193	450	M6x1	HM 3076 + MS 3076-MS 3080	23076K, C 3076K
Code	d1	d	G	l	Dm	G1	Locknut + Locking Device	Bearings
		mm	mm	mm	mm			
OHE 3080H	15"	400	Tr 400x5	210	470	M4x0,7	HM 3080 + MS 3076-MS 3080	23080K, C 3080K
OHE 3084H	15.3/4"	420	Tr 420x5	212	490	M6x1	HM 3084 + MS 3084	23084K, C 3084K
OHE 3088H	16"	440	Tr 440x5	228	520	M8x1,25	HM 3088 + MS 3088-MS 3092	23088K
OHE 3092H	17"	460	Tr 460x5	234	540	M8x1,25	HM 3092 + MS 3088-MS 3092	23092K, C 3092K
OHE 3096H	18"	480	Tr 480x5	237	560	M6x1	HM 3096 + MS 3096-30/500	23096K, C 3096K
OHE 30/500H	18.1/2"	500	Tr 500x5	247	580	M8x1,25	HM 30/500 + MS 3096-30/500	230/500K, C 30/500K
OHE 3132H	5.1/2"	160	M 160x3	119	210	M6x1	KM 32 + MB 32	20332K, 22232K, 23132K
OHE 3132HL	5.1/2"	160	M 160x3	119	190	M6x1	KML 32 + MBL 32	20332K, 22232K, 23132K
OHE 3134H	6"	170	M 170x3	122	220	M4x0,7	KM 34 + MB 34	20334K, 22234K, 23134K
OHE 3134HL	6"	170	M 170x3	122	200	M4x0,7	KML 34 + MBL 34	C 2234K, C 3134K
OHE 3136H	6.1/2"	180	M 180x3	131	230	M4x0,7	KM 36 + MB 36	22236K, 23136K
OHE 3136HL	6.1/2"	180	M 180x3	131	210	M4x0,7	KML 36 + MBL 36	C 3136K
OHE 3138H	6.3/4"	190	M 190x3	141	240	M6x1	KM 38 + MB 38	22238K, 23138K, C 2238K
OHE 3140H	7"	200	M 200x3	150	250	M6x1	KM 40 + MB 40	22240K, 23140K, C 3140K
OHE 3144H	8"	220	Tr 220x4	161	280	M4x0,7	HM 3144 + MS 3144-MS 3148	22244K, 23144K, C 2244K
OHE 3144HTL	8"	220	Tr 220x4	156	260	M4x0,7	HM 3044 + MS 3044	C 3144K
OHE 3144XH	8"	220	Tr 220x4	161	280	M4x0,7	HM 44T + MB 44	22244K, 23144K
OHE 3148H	8.1/2"	240	Tr 240x4	172	300	M6x1	HM 3148 + MS 3144-MS 3148	22248K, 23148K
OHE 3148HTL	8.1/2"	240	Tr 240x4	169	290	M6x1	HM 3048 + MS 3048-MS 3052	C 3148K
OHE 3148XH	8.1/2"	240	Tr 240x4	172	300	M6x1	HM 48T + MB 48	22248K, 23148K
OHE 3152H	9.1/2"	260	Tr 260x4	190	330	M4x0,7	HM 3152 + MS 3152-MS 3156	22252K, 23152K
OHE 3152HTL	9.1/2"	260	Tr 260x4	185	310	M4x0,7	HM 3052 + MS 3048-MS 3052	C 3152K
OHE 3152XH	9.1/2"	260	Tr 260x4	190	330	M4x0,7	HM 52T + MB 52	22252K, 23152K
OHE 3156H	10"	280	Tr 280x4	195	350	M6x1	HM 3156 + MS 3152-MS 3156	22256K, 23156K
OHE 3156HTL	10"	280	Tr 280x4	192	330	M6x1	HM 3056 + MS 3056	C 3156K
OHE 3156XH	10"	280	Tr 280x4	195	350	M6x1	HM 56T + MB 56	22256K, 23156K
OHE 3160H	11"	300	Tr 300x4	208	380	M6x1	HM 3160 + MS 3160	22260K, 23160K, C 3160K
OHE 3160HTL	11"	300	Tr 300x4	208	360	M6x1	HM 3060 + MS 3060	22260K, 23160K, C 3160K
OHE 3164H	11.1/2"	320	Tr 320x5	226	400	M6x1	HM 3164 + MS 3164	22264K, 23164K, C 3164K
OHE 3164HTL	11.1/2"	320	Tr 320x5	226	380	M6x1	HM 3064 + MS 3064-MS 3068	22264K, 23164K, C 3164K

Code	d1	d mm	G mm	l mm	Dm mm	G1	Locknut + Locking Device	Bearings
OHE 3168H	12"	340	Tr 340x5	254	440	M6x1	HM 3168 + MS 3168-MS 3172	23168K, C 3168K
OHE 3168HTL	12"	340	Tr 340x5	244	400	M6x1	HM 3068 + MS 3064-MS 3068	23168K, C 3168K
OHE 3172H	13"	360	Tr 360x5	259	460	M6x1	HM 3172 + MS 3168-MS 3172	23172K, C 3172K
OHE 3172HTL	13"	360	Tr 360x5	246	420	M6x1	HM 3072 + MS 3072	23172K, C 3172K
OHE 3176H	14"	380	Tr 380x5	264	490	M6x1	HM 3176 + MS 3176	23176K
OHE 3176HTL	14"	380	Tr 380x5	252	450	M6x1	HM 3076 + MS 3076-MS 3080	23176K
OHE 3180H	15"	400	Tr 400x5	272	520	M4x0,7	HM 3180 + MS 3180-MS 3184	23180K, C 3180K
OHE 3180HTL	15"	400	Tr 400x5	262	470	M4x0,7	HM 3080 + MS 3076-MS 3080	23180K, C 3180K
OHE 3184H	15.3/4"	420	Tr 420x5	304	540	M6x1	HM 3184 + MS 3180-MS 3184	23184K, C 3184K
OHE 3184HTL	15.3/4"	420	Tr 420x5	286	490	M6x1	HM 3084 + MS 3084	23184K, C 3184K
OHE 3188H	16"	440	Tr 440x5	307	560	M8x1,25	HM 3188 + MS 3188-MS 3192	23188K
OHE 3188HTL	16"	440	Tr 440x5	297	520	M8x1,25	HM 3088 + MS 3088-MS 3092	23188K
OHE 3192H	17"	460	Tr 460x5	326	580	M8x1,25	HM 3192 + MS 3188-MS 3192	23192K, C 3192K
OHE 3192HTL	17"	460	Tr 460x5	311	540	M8x1,25	HM 3092 + MS 3088-MS 3092	23192K, C 3192K
OHE 3196H	18"	480	Tr 480x5	335	620	M6x1	HM 3196 + MS 3196	23196K
OHE 3196HTL	18"	480	Tr 480x5	320	560	M6x1	HM 3096 + MS 3096-30/500	23196K
OHE 31/500H	18.1/2"	500	Tr 500x5	356	630	M8x1,25	HM 31/500 + MS 31/500	231/500K, C 31/500K
OHE 31/500HTL	18.1/2"	500	Tr 500x5	344	580	M8x1,25	HM 30/500 + MS 3096-30/500	231/500K, C 31/500K
OHE 3260H	11"	300	Tr 300x4	240	380	M6x1	HM 3160 + MS 3160	22360K, 23260K
OHE 3264H	11.1/2"	320	Tr 320x5	258	400	M6x1	HM 3164 + MS 3164	22364K, 23264K
OHE 3268H	12"	340	Tr 340x5	288	440	M6x1	HM 3168 + MS 3168-MS 3172	22368K, 23268K
OHE 3272H	13"	360	Tr 360x5	299	460	M6x1	HM 3172 + MS 3168-MS 3172	22372K, 23272K
OHE 3276H	14"	380	Tr 380x5	310	490	M6x1	HM 3176 + MS 3176	22376K, 23276K
OHE 3280H	15"	400	Tr 400x5	328	520	M4x0,7	HM 3180 + MS 3180-MS 3184	22380K, 23280K
OHE 3284H	15.3/4"	420	Tr 420x5	352	540	M6x1	HM 3184 + MS 3180-MS 3184	22384K, 23284K
OHE 3288H	16"	440	Tr 440x5	361	560	M8x1,25	HM 3188 + MS 3188-MS 3192	22388K, 23288K
OHE 3292H	17"	460	Tr 460x5	382	580	M8x1,25	HM 3192 + MS 3188-MS 3192	22392K, 23292K
OHE 3296H	18"	480	Tr 480x5	397	620	M6x1	HM 3196 + MS 3196	22396K, 23296K
OHE 32/500H	18.1/2"	500	Tr 500x5	428	630	M8x1,25	HM 31/500 + MS 31/500	223/500K, 232/500K
OHS 2334H	5.7/8"	170	M 170x3	154	220	M6x1	KM 34 + MB 34	22334K, 23234K
Code	d1	d mm	G mm	l mm	Dm mm	G1	Locknut + Locking Device	Bearings

		mm	mm	mm	mm			
OHS 2336H	6.3/8"	180	M 180x3	161	230	M6x1	KM 36 + MB 36	22336K, 23236K, C 3236K
OHS 2338H	6.5/8"	190	M 190x3	169	240	M6x1	KM 38 + MB 38	22338K, 23238K
OHS 2340H	7.1/8"	200	M 200x3	176	250	M6x1	KM 40 + MB 40	22340K, 23240K
OHS 3034H	5.7/8"	170	M 170x3	101	200	M6x1	KML 34 + MBL 34	20234K, 23034K, C 3034K
OHS 3036H	6.3/8"	180	M 180x3	109	210	M6x1	KML 36 + MBL 36	20236K, 20336K, 23036K, C 3036K
OHS 3038H	6.5/8"	190	M 190x3	112	220	M6x1	KML 38 + MBL 38	20238K, 20338K, 23038K, C 3038K
OHS 3040H	7.1/8"	200	M 200x3	120	240	M6x1	KML 40 + MBL 40	20240K, 20340K, 23040K, C 3040K
OHS 3134H	5.7/8"	170	M 170x3	122	220	M6x1	KM 34 + MB 34	20334K, 22234K, 23134K
OHS 3136H	6.3/8"	180	M 180x3	131	230	M6x1	KM 36 + MB 36	22236K, 23136K
OHS 3138H	6.5/8"	190	M 190x3	141	240	M6x1	KM 38 + MB 38	22238K, 23138K, C 2238K
OHS 3140H	7.1/8"	200	M 200x3	150	250	M6x1	KM 40 + MB 40	22240K, 23140K, C 3140K