



Withdrawal Sleeves

Code	d1 mm	d mm	l mm	G	Bearings
AH 308	35	40	29	M 45x1,5	1308K, 2208K, 21308K, 22208K, C 2208K, C 2208KV
AH 309	40	45	31	M 50x1,5	1309K, 2209K, 21309K, 22209K, C 2209K, C 2209KV
AHX 310	45	50	35	M 55x2	1310K, 2210K, 21310K, 22210K, C 2210K, C 2210KV
AHX 311	50	55	37	M 60x2	1311K, 2211K, 21311K, 22211K, C 2211K, C 2211KV
AHX 312	55	60	40	M 65x2	1312K, 2212K, 21312K, 22212K, C 2212K, C 2212KV
AH 313	60	65	42	M 75x2	1313K, 2213K, 21313K, 22213K
AH 314	65	70	43	M 80x2	1314K, 2214K, 21314K, 22214K
AH 315	70	75	45	M 85x2	1315K, 2215K, 21315K, 22215K
AH 316	75	80	48	M 90x2	1316K, 2216K, 21316K, 22216K, C 2216K, C 2216KV
AHX 317	80	85	52	M 95x2	1317K, 2217K, 21317K, 22217K, C 2217K, C 2217KV
AHX 318	85	90	53	M 100x2	1318K, 2218K, 21318K, 22218K, C 2218K
AHX 319	90	95	57	M 105x2	1319K, 2219K, 21319K, 22219K, C 2219K
AHX 320	95	100	59	M 110x2	1320K, 2220K, 21320K, 22220K, C 2220K
AHX 322	105	110	63	M 120x2	21322K, 23022K
AH 2236	170	180	105	M 200x3	22236K
AH 2238	180	190	112	Tr 210x4	22238K
AH 2240	190	200	118	Tr 220x4	22240K
AH 2244	200	220	130	Tr 240x4	22244K, C 2244K
AH 2248	220	240	144	Tr 260x4	22248K
AH 2252	240	260	155	Tr 290x4	22252K

AH 2256	260	280	155	Tr 310x5	22256K
AH 2260	280	300	170	Tr 330x5	22260K
Code	d1	d	l	G	Bearings
	mm	mm	mm		
AH 2264	300	320	180	Tr 350x5	22264K
AH 2308	35	40	40	M 45x1,5	2308K, 22308K
AH 2309	40	45	44	M 50x1,5	2309K, 22309K
AHX 2310	45	50	50	M 55x2	2310K, 22310K
AHX 2311	50	55	54	M 60x2	2311K, 22311K
AHX 2312	55	60	58	M 65x2	2312K, 22312K
AH 2313	60	65	61	M 75x2	2313K, 22313K
AHX 2314	65	70	64	M 80x2	2314K, 22314K
AHX 2315	70	75	68	M 85x2	2315K, 22315K
AHX 2316	75	80	71	M 90x2	2316K, 22316K, C 2316K
AHX 2317	80	85	74	M 95x2	2317K, 22317K, C 2317K
AHX 2318	85	90	79	M 100x2	2318K, 22318K, C 2318K
AHX 2319	90	95	85	M 105x2	2319K, 22319K, C 2319K
AHX 2320	95	100	90	M 110x2	2320K, 22320K, C 2320K
AHX 2322	105	110	98	M 125x2	22322K
AHX 2324	115	120	105	M 135x2	22324K
AHX 2326	125	130	115	M 145x2	22326K
AHX 2328	135	140	125	M 155x3	22328K
AHX 2330	145	150	135	M 165x3	22330K
AH 2332	150	160	140	M 180x3	22332K
Code	d1	d	l	G	Bearings
	mm	mm	mm		
AH 2334	160	170	146	M 190x3	22334K
AH 2336	170	180	154	M 200x3	22336K
AH 2338	180	190	160	Tr 210x4	22338K
AH 2340	190	200	170	Tr 220x4	22340K
AH 2344	200	220	181	Tr 240x4	22344K, 23244K
AH 2348	220	240	189	Tr 260x4	22348K, 23248K
AH 2352	240	260	205	Tr 290x4	22352K, 23252K
AH 2356	260	280	212	Tr 310x5	22356K, 23256K
AHX 3024	115	120	60	M 130x2	23024K, C 3024K, C 3024KV
AHX 3026	125	130	67	M 140x2	23026K, C 3026K

AHX 3028	135	140	68	M 150x2	23028K, C 3028K
AHX 3030	145	150	72	M 160x3	23030K, C 3030K, C 3030KV
AH 3032	150	160	77	M 170x3	23032K, C 3032K
AH 3034	160	170	85	M 180x3	23034K, C 3034K
AH 3036	170	180	92	M 190x3	23036K, C 3036K
AH 3038	180	190	96	Tr 205x4	23038K
AH 3040	190	200	102	Tr 215x4	23040K
AH 3044	200	220	111	Tr 235x4	23044K
AH 3048	220	240	116	Tr 260x4	23048K, C 3048K
AH 3052	240	260	128	Tr 280x4	23052K, C 3052K
AH 3056	260	280	131	Tr 300x4	23056K, C 3056K
AH 3060	280	300	145	Tr 320x5	23060K, C 3060K
Code	d1 mm	d mm	l mm	G	Bearings
AH 3064	300	320	149	Tr 345x5	23064K
AH 3068	320	340	162	Tr 365x5	23068K
AH 3072	340	360	167	Tr 385x5	23072K
AH 3076	360	380	170	Tr 410x5	23076K
AH 3080	380	400	183	Tr 430x5	23080K
AH 3084	400	420	186	Tr 450x5	23084K
AHX 3088	420	440	194	Tr 470x5	23088K
AHX 3092	440	460	202	Tr 490x5	23092K
AHX 3096	460	480	205	Tr 520x6	23096K
AHX 30/500	480	500	209	Tr 540x6	230/500K
AH 30/530	500	530	230	Tr 560x6	230/530K, C 30/530K
AH 30/560	530	560	240	Tr 590x6	230/560K
AHX 30/560	530	560	240	Tr 600x6	C 30/560K
AH 30/600	560	600	245	Tr 630x6	230/600K
AHX 30/600	570	600	245	Tr 630x6	230/600K, C 30/600K
AH 30/630	600	630	258	Tr 670x6	230/630K, C 30/630K
AH 30/670	630	670	280	Tr 710x7	230/670K, C 30/670K
AH 30/710	670	710	286	Tr 750x7	230/710K
AHX 30/710	670	710	286	Tr 750x7	C 30/710K
AH 30/750	710	750	300	Tr 800x7	230/750K, C 30/750K
Code	d1 mm	d mm	l mm	G	Bearings

AH 30/800	750	800	308	Tr 850x7	230/800K, C 30/800K
AH 30/850	800	850	325	Tr 900x7	230/850K, C 30/850K
AH 30/900	850	900	335	Tr 950x8	230/900K, C 30/900K
AH 30/950	900	950	355	Tr 1000x8	230/950K, C 30/950K
AH 30/1000	950	1000	365	Tr 1060x8	230/1000K, C 30/1000K
AH 30/1060	1000	1060	385	Tr 1120x8	230/1060K
AHX 3120	95	100	64	M 110x2	23120K, C 3120KV
AHX 3122	105	110	68	M 120x2	22222K, 23122K, C 2222K, C 3022K
AHX 3124	115	120	75	M 130x2	22224K, 23124K, C 2224K
AHX 3126	125	130	78	M 140x2	22226K, 23126K, C 2226K
AHX 3128	135	140	83	M 150x2	22228K, 23128K, C 2228K
AHX 3130	145	150	96	M 165x3	22230K, 23130K
AH 3132	150	160	103	M 180x3	22232K, 23132K
AH 3134	160	170	104	M 190x3	22234K, 23134K
AH 3136	170	180	116	M 200x3	23136K
AH 3138	180	190	125	Tr 210x4	23138K
AH 3140	190	200	134	Tr 220x4	23140K, C 3140K
AH 3144	200	220	145	Tr 240x4	23144K, C 3144K
AH 3148	220	240	154	Tr 260x4	23148K, C 3148K
AH 3152	240	260	172	Tr 290x4	23152K
AH 3156	260	280	175	Tr 310x5	23156K
AH 3160	280	300	192	Tr 330x5	23160K
Code	d1	d	l	G	Bearings
	mm	mm	mm		
AH 3164	300	320	209	Tr 350x5	23164K
AH 3168	320	340	225	Tr 370x5	23168K
AH 3172	340	360	229	Tr 400x5	23172K
AH 3176	360	380	232	Tr 420x5	23176K
AH 3180	380	400	240	Tr 440x5	23180K
AH 3184	400	420	266	Tr 460x5	23184K
AH 3184 G	400	420	266	Tr 440x5	23184K, C 3184K
AHX 3188	420	440	270	Tr 480x5	23188K
AHX 3192	440	460	285	Tr 510x6	23192K
AHX 3196	460	480	295	Tr 530x6	23196K
AHX 31/500	480	500	313	Tr 550x6	231/500K
AH 31/530	500	530	325	Tr 560x6	222/530K, 231/530K, C 31/530K

AH 31/560	530	560	335	Tr 590x6	222/560K, 231/560K, C 31/560K
AH 31/600	560	600	355	Tr 630x6	222/600K, 231/600K, C 31/600K
AH 31/630	600	630	375	Tr 670x6	222/630K, 231/630K, C 31/630K
AH 31/670	630	670	395	Tr 710x7	222/670K, 231/670K
AHX 31/670	630	670	395	Tr 710x7	C 31/670K
AH 31/710	670	710	405	Tr 750x7	222/710K, 231/710K
AHX 31/710	670	710	405	Tr 750x7	C 31/710K
AH 31/750	710	750	425	Tr 800x7	222/750K, 231/750K, C 31/750K
AH 31/800	750	800	438	Tr 850x7	222/800K, 231/800K, C 31/800K
Code	d1 mm	d mm	l mm	G	Bearings
AH 31/850	800	850	462	Tr 900x7	222/850K, 231/850K, C 31/850K
AH 31/900	850	900	475	Tr 950x8	222/900K, 231/900K
AH 31/950	900	950	500	Tr 1000x8	222/950K, 231/950K
AH 31/1000	950	1000	525	Tr 1060x8	222/1000K, 231/1000K, C 31/1000K
AH 31/1060	1000	1060	540	Tr 1120x8	222/1060K, 231/1060K
AHX 3218	85	90	63	M 100x2	23218K
AHX 3219	90	95	67	M 105x2	23219K
AHX 3220	95	100	73	M 110x2	23220K
AHX 3222	105	110	82	M 125x2	23222K
AHX 3224	115	120	90	M 135x2	23224K
AHX 3226	125	130	98	M 145x2	23226K
AHX 3228	135	140	104	M 155x3	23228K
AHX 3230	145	150	114	M 165x3	23230K
AH 3232	150	160	124	M 180x3	23232K
AH 3234	160	170	134	M 190x3	23234K
AH 3236	170	180	140	M 200x3	23236K
AH 3238	180	190	145	Tr 210x4	23238K
AH 3240	190	200	153	Tr 220x4	23240K
AH 3260	280	300	228	Tr 330x5	22360K, 23260K
AH 3264	300	320	246	Tr 350x5	22364K, 23264K
Code	d1 mm	d mm	l mm	G	Bearings
AH 3268	320	340	264	Tr 370x5	22368K
AH 3272	340	360	274	Tr 400x5	22372K
AH 3276	360	380	284	Tr 420x5	22376K

AH 3280	380	400	302	Tr 440x5	22380K
AH 3284	400	420	321	Tr 460x5	22384K
AHX 3288	420	440	330	Tr 480x5	22388K
AHX 3292	440	460	349	Tr 510x6	22392K
AHX 3296	460	480	364	Tr 530x6	22396K
AHX 32/500	480	500	393	Tr 550x6	223/500K
AH 32/530	500	530	412	Tr 580x6	223/530K, 232/530K
AH 32/560	530	560	422	Tr 610x6	223/560K, 232/560K
AH 32/600	560	600	445	Tr 650x6	223/600K, 232/600K
AH 32/630	600	630	475	Tr 680x6	223/630K, 232/630K
AH 32/670	630	670	500	Tr 720x7	223/670K, 232/670K
AH 32/710	670	710	515	Tr 760x7	223/710K, 232/710K
Code	d1 mm	d mm	l mm	G	Bearings
AH 32/750	710	750	540	Tr 800x7	223/750K, 232/750K
AH 32/800	750	800	550	Tr 850x7	232/800K
AH 32/850	800	850	585	Tr 900x7	232/850K
AH 32/900	850	900	585	Tr 950x8	232/900K
AH 32/950	900	950	600	Tr 1000x8	232/950K
AH 32/1000	950	1000	630	Tr 1060x8	232/1000K
AH 3934	160	170	59	M 180x3	23934K
AH 3936	170	180	66	M 190x3	23936K
AH 3938	180	190	66	M 200x3	23938K
AH 3940	190	200	77	Tr 210x4	23940K
AH 3944	200	220	77	Tr 230x4	23944K
AH 3948	220	240	77	Tr 250x4	23948K
AH 3952	240	260	94	Tr 275x4	23952K
AH 3956	260	280	94	Tr 295x4	23956K
AH 3960	280	300	112	Tr 315x5	23960K
AH 3964	300	320	112	Tr 335x5	23964K
AH 3968	320	340	112	Tr 355x5	23968K
AH 3972	340	360	112	Tr 375x5	23972K
AH 3976	360	380	130	Tr 395x5	23976K
AH 3980	380	400	130	Tr 415x5	23980K
AH 3984	400	420	130	Tr 435x5	23984K
AH 3988	420	440	145	Tr 460x5	23988K

AH 3992	440	460	145	Tr 480x5	23992K
AH 3996	460	480	158	Tr 500x5	23996K
AH 39/500	480	500	162	Tr 520x6	239/500K
AH 39/530	500	530	175	Tr 550x6	239/530K
AH 39/560	530	560	180	Tr 580x6	239/560K
AH 39/600	560	600	192	Tr 625x6	239/600K
AH 39/630	600	630	210	Tr 655x6	239/630K
Code	d1	d	l	G	Bearings
	mm	mm	mm		
AH 39/670	630	670	216	Tr 695x6	239/670K
AH 39/710	670	710	228	Tr 740x7	239/710K
AH 39/750	710	750	234	Tr 780x7	239/750K
AH 39/800	750	800	245	Tr 830x7	239/800K
AH 39/850	800	850	258	Tr 880x7	239/850K
AH 39/900	850	900	265	Tr 930x8	239/900K
AH 39/950	900	950	282	Tr 980x8	239/950K
AH 39/1000	950	1000	296	Tr 1035x8	239/1000K
AH 39/1060	1010	1060	310	Tr 1095x8	239/1060K
AH 24024	115	120	73	M 125x2	24024K30, C 4024K30V
AH 24026	125	130	83	M 135x2	24026K30, C 4026K30, C 4026K30V
AH 24028	135	140	83	M 145x2	24028K30, C 4028K30V
AH 24030	145	150	90	M 155x3	24030K30, C 4030K30V
AH 24032	150	160	95	M 170x3	24032K30, C 4032K30, C 4032K30V
AH 24034	160	170	106	M 180x3	24034K30, C 4034K30V
AH 24036	170	180	116	M 190x3	24036K30, C 4036K30V
AH 24038	180	190	118	M 200x3	24038K30, C 4038K30V
AH 24040	190	200	127	Tr 210x4	24040K30, C 4040K30V
AH 24044	200	220	138	Tr 230x4	24044K30, C 4044K30V
AH 24048	220	240	138	Tr 250x4	24048K30
AH 24052	240	260	162	Tr 270x4	24052K30
AH 24056	260	280	162	Tr 290x4	24056K30
AH 24060	280	300	184	Tr 310x5	24060K30
AH 24064	300	320	184	Tr 330x5	24064K30
AH 24068	320	340	206	Tr 360x5	24068K30
AH 24072	340	360	206	Tr 380x5	24072K30
Code	d1	d	l	G	Bearings

	mm	mm	mm		
AH 24076	360	380	208	Tr 400x5	24076K30
AH 24080	380	400	228	Tr 420x5	24080K30
AH 24084	400	420	230	Tr 440x5	24084K30
AH 24088	420	440	242	Tr 460x5	24088K30
AH 24092	440	460	250	Tr 480x5	24092K30
AH 24096	460	480	250	Tr 500x5	24096K30
AH 240/500	480	500	253	Tr 520x6	240/500K30
AH 240/530	500	530	290	Tr 550x6	240/530K30
AH 240/560	530	560	298	Tr 580x6	240/560K30
AH 240/600	560	600	317	Tr 625x6	240/600K30
AH 240/630	600	630	335	Tr 655x6	240/630K30
AH 240/670	630	670	358	Tr 695x6	240/670K30
AH 240/710	670	710	365	Tr 740x7	240/710K30
AH 240/750	710	750	380	Tr 780x7	240/750K30
AH 240/800	750	800	395	Tr 830x7	240/800K30
AH 240/850	800	850	418	Tr 880x7	240/850K30
AH 240/900	850	900	430	Tr 930x8	240/900K30
AH 240/950	900	950	467	Tr 980x8	240/950K30
AH 240/1000	950	1000	469	Tr 1035x8	240/1000K30
AH 240/1060	1000	1060	498	Tr 1095x8	240/1060K30
AH 24122	105	110	82	M 115x2	24122K30, C 4122K30V
AH 24124	115	120	93	M 130x2	24124K30, C 4124K30V
Code	d1	d	l	G	Bearings
	mm	mm	mm		
AH 24126	125	130	94	M 140x2	24126K30, C 4126K30V
AH 24128	135	140	99	M 150x2	24128K30, C 4128K30V
AH 24130	145	150	115	M 160x3	24130K30, C 4130K30V
AH 24132	150	160	124	M 170x3	24132K30, C 4132K30V
AH 24134	160	170	125	M 180x3	24134K30, C 4134K30V
AH 24136	170	180	134	M 190x3	24136K30, C 4136K30V
AH 24138	180	190	146	M 200x3	24138K30, C 4138K30V
AH 24140	190	200	158	Tr 210x4	24140K30, C 4140K30V
AH 24144	200	220	170	Tr 230x4	24144K30
AH 24148	220	240	180	Tr 260x4	24148K30
AH 24152	240	260	202	Tr 280x4	24152K30

AH 24156	260	280	202	Tr 300x4	24156K30
AH 24160	280	300	224	Tr 320x5	24160K30, C 4160K30
AH 24164	300	320	242	Tr 340x5	24164K30
AH 24168	320	340	269	Tr 360x5	24168K30
AH 24172	340	360	269	Tr 380x5	24172K30
AH 24176	360	380	271	Tr 400x5	24176K30
AH 24180	380	400	278	Tr 420x5	24180K30
AH 24184	400	420	310	Tr 440x5	24184K30
AH 24188	420	440	310	Tr 460x5	24188K30, C 4188K30
AH 24192	440	460	332	Tr 480x5	24192K30, C 4192K30
AH 24196	460	480	343	Tr 500x5	24196K30
AH 241/500	480	500	362	Tr 530x6	241/500K30, C 41/500K30
AH 241/530	500	530	375	Tr 550x6	241/530K30
AH 241/560	530	560	400	Tr 580x6	241/560K30
AH 241/600	560	600	425	Tr 625x6	241/600K30
AHX 241/600	570	600	413	Tr 630x6	C 41/600K30
AH 241/630	600	630	450	Tr 655x6	241/630K30
Code	d1	d	l	G	Bearings
	mm	mm	mm		
AH 241/670	630	670	467	Tr 695x6	241/670K30
AH 241/710	670	710	493	Tr 740x7	241/710K30
AH 241/750	710	750	520	Tr 780x7	241/750K30
AH 241/800	750	800	525	Tr 830x7	241/800K30
AH 241/850	800	850	560	Tr 880x7	241/850K30
AH 241/900	850	900	575	Tr 930x8	241/900K30
AH 241/950	900	950	605	Tr 980x8	241/950K30
AH 241/1000	950	1000	645	Tr 1035x8	241/1000K30
AH 241/1060	1000	1060	665	Tr 1095x8	241/1060K30